

表 141 2014年導入患者死亡原因分類(年齢別, 原疾患別)原疾患＝慢性腎盂腎炎

死因	5歳未満	5歳～	10歳～	15歳～	20歳～	25歳～	30歳～	35歳～	40歳～	45歳～	50歳～	55歳～	60歳～	65歳～	70歳～	75歳～	80歳～	85歳～	90歳～	95歳～	合計	不明	記載なし	総計	平均	標準偏差
心不全 (%)																1 (16.7)	1 (10.0)				2 (8.7)			2 (8.7)	78.50	2.12
脳血管障害 (%)																1 (16.7)					1 (4.3)			1 (4.3)	77.00	
感染症 (%)												1 (100.0)		1 (100.0)	1 (100.0)		4 (40.0)				7 (30.4)			7 (30.4)	74.57	9.16
消化管出血 (%)																										
悪性腫瘍 (%)											1 (100.0)					1 (16.7)		1 (33.3)			3 (13.0)			3 (13.0)	73.33	18.45
悪液質/尿毒症 (%)																										
心筋梗塞 (%)																2 (33.3)	1 (10.0)	1 (33.3)			4 (17.4)			4 (17.4)	81.00	3.56
カリウム中毒/頓死 (%)																										
肝硬変症 (%)																										
自殺/拒否 (%)																										
腸閉塞 (%)																										
肺血栓/肺塞栓 (%)																										
災害・事故死 (%)																										
その他 (%)																1 (16.7)	3 (30.0)	1 (33.3)			5 (21.7)			5 (21.7)	81.40	4.39
不明 (%)																	1 (10.0)				1 (4.3)			1 (4.3)	84.00	
合計 (%)											1 (100.0)	1 (100.0)		1 (100.0)	1 (100.0)	6 (100.0)	10 (100.0)	3 (100.0)			23 (100.0)			23 (100.0)	77.87	8.48
記載なし																										
総計											1	1		1	1	6	10	3			23			23	77.87	8.48

数値下のかっこ内は列方向の合計に対する％です。  
(C)Japanese Society for Dialysis Therapy  
2014年調査