

表 217 2014年末患者、年齢、原疾患別人数(男性)

原疾患	5歳未満	5歳～	10歳～	15歳～	20歳～	25歳～	30歳～	35歳～	40歳～	45歳～	50歳～	55歳～	60歳～	65歳～	70歳～	75歳～	80歳～	85歳～	90歳～	95歳～	合計	不明	記載なし	総計	平均	標準偏差	
慢性糸球体腎炎	1	4	4	18	44	171	445	1,015	2,036	3,003	3,800	5,362	8,353	10,196	9,077	6,955	4,896	2,232	478	58	58,148			58,148	65.73	12.48	
(%)	(4.8)	(26.7)	(17.4)	(25.0)	(28.9)	(37.6)	(38.2)	(36.6)	(34.0)	(32.2)	(30.8)	(31.4)	(31.3)	(29.8)	(28.7)	(26.4)	(25.8)	(25.7)	(24.4)	(22.5)	(29.3)			(29.3)			
慢性腎盂腎炎				2	11	23	56	75	85	87	117	157	221	221	221	157	110	63	12		1,397	1		1,398	64.14	14.21	
(%)				(1.3)	(2.4)	(2.0)	(2.0)	(1.3)	(0.9)	(0.7)	(0.7)	(0.6)	(0.6)	(0.6)	(0.6)	(0.6)	(0.6)	(0.7)	(0.6)		(0.7)	(6.3)		(0.7)			
急速進行性糸球体腎炎				2	7	8	23	38	49	60	73	152	223	230	230	200	130	70	12	2	1,279			1,279	67.97	12.68	
(%)				(1.3)	(1.5)	(0.7)	(0.8)	(0.6)	(0.5)	(0.5)	(0.4)	(0.6)	(0.7)	(0.7)	(0.7)	(0.8)	(0.7)	(0.8)	(0.6)	(0.8)	(0.6)			(0.6)			
妊娠腎/妊娠中毒症							1	2	1			3		2	2						11			11	55.82	12.75	
(%)							(0.0)	(0.0)	(0.0)	(0.0)		(0.0)		(0.0)	(0.0)						(0.0)			(0.0)			
その他の分類不能の腎炎		1	5	6	14	21	28	50	60	65	68	62	76	81	118	72	49	23	7	2	808			808	58.74	17.36	
(%)		(6.7)	(21.7)	(8.3)	(9.2)	(4.6)	(2.4)	(1.8)	(1.0)	(0.7)	(0.6)	(0.4)	(0.3)	(0.2)	(0.4)	(0.3)	(0.3)	(0.3)	(0.4)	(0.8)	(0.4)			(0.4)			
多発性囊胞腎	3			2	3	6	18	61	200	398	595	735	1,046	1,018	799	558	366	140	32	5	5,985			5,985	63.81	11.52	
(%)	(14.3)			(2.8)	(2.0)	(1.3)	(1.5)	(2.2)	(3.3)	(4.3)	(4.8)	(4.3)	(3.9)	(3.0)	(2.5)	(2.1)	(1.9)	(1.6)	(1.6)	(1.9)	(3.0)			(3.0)			
腎硬化症			1	2	9	19	48	115	306	492	562	905	1,482	2,288	2,963	3,389	3,463	2,030	607	72	18,753	1		18,754	72.83	11.87	
(%)			(4.3)	(2.8)	(5.9)	(4.2)	(4.1)	(4.2)	(5.1)	(5.3)	(4.6)	(5.3)	(5.6)	(6.7)	(9.4)	(12.9)	(18.3)	(23.4)	(31.0)	(27.9)	(9.5)	(6.3)		(9.5)			
悪性高血圧					1	8	36	83	125	139	161	158	195	209	199	166	152	77	23	2	1,734			1,734	62.40	14.96	
(%)					(0.7)	(1.8)	(3.1)	(3.0)	(2.1)	(1.5)	(1.3)	(0.9)	(0.7)	(0.6)	(0.6)	(0.6)	(0.8)	(0.9)	(1.2)	(0.8)	(0.9)			(0.9)			
糖尿病性腎症	1	1		5	4	14	201	751	2,148	3,774	5,410	7,665	12,142	16,072	13,959	11,091	6,671	2,386	403	48	82,746	2		82,748	66.51	11.08	
(%)	(4.8)	(6.7)		(6.9)	(2.6)	(3.1)	(17.3)	(27.1)	(35.9)	(40.4)	(43.9)	(44.9)	(45.5)	(46.9)	(44.2)	(42.1)	(35.2)	(27.5)	(20.6)	(18.6)	(41.8)	(12.5)		(41.8)			
SLE腎炎			1	4	5	15	18	28	42	56	55	61	68	100	88	87	46	23	2		699			699	61.18	15.63	
(%)			(4.3)	(5.6)	(3.3)	(3.3)	(1.5)	(1.0)	(0.7)	(0.6)	(0.4)	(0.4)	(0.3)	(0.3)	(0.3)	(0.3)	(0.2)	(0.3)	(0.1)		(0.4)			(0.4)			
アミロイド腎								3	16	13	13	14	20	26	31	25	15	3	1		180			180	64.26	12.99	
(%)								(0.1)	(0.3)	(0.1)	(0.1)	(0.1)	(0.1)	(0.1)	(0.1)	(0.1)	(0.1)	(0.0)	(0.1)		(0.1)			(0.1)			
痛風腎						1	3	8	25	32	61	73	134	184	184	161	82	31	3	1	983	1		984	67.46	10.95	
(%)						(0.2)	(0.3)	(0.3)	(0.4)	(0.3)	(0.5)	(0.4)	(0.5)	(0.5)	(0.6)	(0.6)	(0.4)	(0.4)	(0.2)	(0.4)	(0.5)	(6.3)		(0.5)			
先天性代謝異常による腎不全	1			4	6	11	10	22	24	18	9	15	15	10	7	2	3	3			160			160	47.36	16.45	
(%)	(4.8)			(5.6)	(3.9)	(2.4)	(0.9)	(0.8)	(0.4)	(0.2)	(0.1)	(0.1)	(0.1)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)			(0.1)			(0.1)			
腎・尿路結核										1	3	5	9	27	29	13	15	6	2		110			110	71.84	8.92	
(%)								(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.1)	(0.1)	(0.1)	(0.0)	(0.1)	(0.1)	(0.1)		(0.1)			(0.1)			
腎・尿路結石								1	5	11	17	30	43	52	75	61	42	20	5		362			362	69.58	10.69	
(%)								(0.0)	(0.1)	(0.1)	(0.1)	(0.2)	(0.2)	(0.2)	(0.2)	(0.2)	(0.2)	(0.2)	(0.3)		(0.2)			(0.2)			
腎・尿路腫瘍						1	2	4	4	8	15	32	60	105	135	126	122	43	11	2	670			670	72.45	10.25	
(%)						(0.2)	(0.2)	(0.1)	(0.1)	(0.1)	(0.1)	(0.2)	(0.2)	(0.3)	(0.4)	(0.5)	(0.6)	(0.5)	(0.6)	(0.8)	(0.3)			(0.3)			
閉塞性尿路障害				3	3	16	28	25	33	24	16	39	61	74	59	63	22	5		471			471	64.49	16.32		
(%)				(2.0)	(0.7)	(1.4)	(1.0)	(0.4)	(0.4)	(0.2)	(0.1)	(0.1)	(0.2)	(0.2)	(0.2)	(0.3)	(0.3)	(0.3)	(0.3)		(0.2)			(0.2)			
骨髄腫				1			1	1	5	3	4	9	16	36	34	27	22	13		1	173			173	70.11	11.79	
(%)				(1.4)			(0.1)	(0.0)	(0.1)	(0.0)	(0.0)	(0.1)	(0.1)	(0.1)	(0.1)	(0.1)	(0.1)	(0.1)		(0.4)	(0.1)			(0.1)			
腎形成不全	6	7	7	14	20	34	49	62	37	49	18	16	18	22	20	12	9	1			401			401	42.70	18.15	
(%)	(28.6)	(46.7)	(30.4)	(19.4)	(13.2)	(7.5)	(4.2)	(2.2)	(0.6)	(0.5)	(0.1)	(0.1)	(0.1)	(0.1)	(0.1)	(0.0)	(0.0)	(0.0)			(0.2)			(0.2)			
不明	1			3	16	43	125	270	505	689	853	1,122	1,919	2,527	2,584	2,500	2,191	1,250	301	55	16,954	11		16,965	68.75	13.12	
(%)	(4.8)			(4.2)	(10.5)	(9.5)	(10.7)	(9.7)	(8.4)	(7.4)	(6.9)	(6.6)	(7.2)	(7.4)	(8.2)	(9.5)	(11.5)	(14.4)	(15.4)	(21.3)	(8.6)	(68.8)		(8.6)			
再導入				1	4	13	39	59	114	167	222	242	225	162	82	49	33	9	5	1	1,427			1,427	56.37	12.01	
(%)				(1.4)	(2.6)	(2.9)	(3.3)	(2.1)	(1.9)	(1.8)	(1.8)	(1.4)	(0.8)	(0.5)	(0.3)	(0.2)	(0.2)	(0.1)	(0.3)	(0.4)	(0.7)			(0.7)			
その他	8	2	5	12	19	77	95	130	193	248	282	352	504	650	703	609	490	236	50	9	4,674			4,674	64.91	15.41	
(%)	(38.1)	(13.3)	(21.7)	(16.7)	(12.5)	(16.9)	(8.2)	(4.7)	(3.2)	(2.7)	(2.3)	(2.1)	(1.9)	(1.9)	(2.2)	(2.3)	(2.6)	(2.7)	(2.6)	(3.5)	(2.4)			(2.4)			
合計	21	15	23	72	152	455	1,165	2,771	5,985	9,334	12,319	17,067	26,673	34,272	31,614	26,319	18,970	8,681	1,959	258	198,125	16		198,141	66.75	12.36	
(%)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)			(100.0)		
記載なし																						16			16		
総計	21	15	23	72	152	455	1,165	2,771	5,985	9,334	12,319	17,067	26,673	34,272	31,614	26,319	18,970	8,681	1,959	258	198,125	16		198,141	66.75	12.36	

数値下のかっこ内は列方向の合計に対する％です。

(C)Japanese Society for Dialysis Therapy
2014年調査