

表 299 2014年死亡患者死亡原因分類(年齢との関係)

死因	5歳未満	5歳～	10歳～	15歳～	20歳～	25歳～	30歳～	35歳～	40歳～	45歳～	50歳～	55歳～	60歳～	65歳～	70歳～	75歳～	80歳～	85歳～	90歳～	95歳～	合計	不明	記載なし	総計	平均	標準偏差	
心不全				2	1	1	8	10	28	57	129	186	443	743	1,132	1,474	1,624	1,295	516	125	7,774	1		7,775	77.13	10.23	
(%)				(50.0)	(20.0)	(20.0)	(32.0)	(14.9)	(19.3)	(19.9)	(23.9)	(20.5)	(22.0)	(22.6)	(25.0)	(26.4)	(28.1)	(30.5)	(29.6)	(34.9)	(26.3)	(33.3)		(26.3)			
脳血管障害						1		10	21	49	71	110	202	320	328	368	314	215	72	17	2,098			2,098	72.56	11.34	
(%)						(20.0)		(14.9)	(14.5)	(17.1)	(13.1)	(12.1)	(10.0)	(9.7)	(7.2)	(6.6)	(5.4)	(5.1)	(4.1)	(4.7)	(7.1)			(7.1)			
感染症	1	1		2	2	1	4	13	21	34	72	157	367	620	977	1,211	1,302	954	361	62	6,162			6,162	76.74	9.98	
(%)	(100.0)	(50.0)		(50.0)	(40.0)	(20.0)	(16.0)	(19.4)	(14.5)	(11.9)	(13.3)	(17.3)	(18.3)	(18.9)	(21.6)	(21.7)	(22.5)	(22.5)	(20.7)	(17.3)	(20.9)			(20.9)			
消化管出血							1		7	4	5	13	30	50	78	102	80	72	23	6	471			471	75.94	10.50	
(%)							(4.0)		(4.8)	(1.4)	(0.9)	(1.4)	(1.5)	(1.5)	(1.7)	(1.8)	(1.4)	(1.7)	(1.3)	(1.7)	(1.6)			(1.6)			
悪性腫瘍					1		1	2	14	21	55	84	211	375	446	525	532	282	108	12	2,669			2,669	74.71	9.93	
(%)					(20.0)		(4.0)	(3.0)	(9.7)	(7.3)	(10.2)	(9.3)	(10.5)	(11.4)	(9.9)	(9.4)	(9.2)	(6.7)	(6.2)	(3.4)	(9.0)			(9.0)			
悪液質/尿毒症										1	7	15	48	76	117	209	274	262	134	27	1,170			1,170	80.38	8.93	
(%)										(0.3)	(1.3)	(1.7)	(2.4)	(2.3)	(2.6)	(3.7)	(4.7)	(6.2)	(7.7)	(7.5)	(4.0)			(4.0)			
心筋梗塞								4	8	13	37	58	118	191	216	223	229	119	35	7	1,258			1,258	73.29	10.29	
(%)								(6.0)	(5.5)	(4.5)	(6.9)	(6.4)	(5.9)	(5.8)	(4.8)	(4.0)	(4.0)	(2.8)	(2.0)	(2.0)	(4.3)			(4.3)			
カリウム中毒/頓死							2	3	16	21	30	46	69	113	130	150	124	65	22	3	794			794	71.62	11.68	
(%)							(8.0)	(4.5)	(11.0)	(7.3)	(5.6)	(5.1)	(3.4)	(3.4)	(2.9)	(2.7)	(2.1)	(1.5)	(1.3)	(0.8)	(2.7)			(2.7)			
肝硬変症						1		2		6	8	18	34	40	65	55	34	14	1		278			278	70.63	10.00	
(%)						(20.0)		(3.0)		(2.1)	(1.5)	(2.0)	(1.7)	(1.2)	(1.4)	(1.0)	(0.6)	(0.3)	(0.1)		(0.9)			(0.9)			
自殺/拒否							1	5	2	7	6	15	14	24	32	28	42	30	5	4	215			215	72.78	13.05	
(%)							(4.0)	(7.5)	(1.4)	(2.4)	(1.1)	(1.7)	(0.7)	(0.7)	(0.7)	(0.5)	(0.7)	(0.7)	(0.3)	(1.1)	(0.7)			(0.7)			
腸閉塞		1					1		1	1	2	11	22	43	49	61	65	36	16	1	310			310	75.35	10.37	
(%)		(50.0)					(4.0)		(0.7)	(0.3)	(0.4)	(1.2)	(1.1)	(1.3)	(1.1)	(1.1)	(1.1)	(0.8)	(0.9)	(0.3)	(1.1)			(1.0)			
肺血栓/肺塞栓								2		1			2	12	13	17	14	12	5	1	79			79	76.43	10.93	
(%)								(3.0)		(0.3)			(0.1)	(0.4)	(0.3)	(0.3)	(0.2)	(0.3)	(0.3)	(0.3)	(0.3)			(0.3)			
災害・事故死									1		1	11	14	24	38	23	23	13	8	1	157			157	73.75	9.73	
(%)									(0.7)		(0.2)	(1.2)	(0.7)	(0.7)	(0.8)	(0.4)	(0.4)	(0.3)	(0.5)	(0.3)	(0.5)			(0.5)			
その他					1	1	5	6	7	20	40	59	155	243	392	514	530	489	235	53	2,750			2,750	77.65	10.47	
(%)					(20.0)	(20.0)	(20.0)	(9.0)	(4.8)	(7.0)	(7.4)	(6.5)	(7.7)	(7.4)	(8.7)	(9.2)	(9.2)	(11.5)	(13.5)	(14.8)	(9.3)			(9.3)			
不明							2	10	19	51	77	125	281	413	513	619	602	381	205	39	3,337	2		3,339	74.81	10.96	
(%)							(8.0)	(14.9)	(13.1)	(17.8)	(14.3)	(13.8)	(14.0)	(12.6)	(11.3)	(11.1)	(10.4)	(9.0)	(11.7)	(10.9)	(11.3)	(66.7)		(11.3)			
合計	1	2		4	5	5	25	67	145	286	540	908	2,010	3,287	4,526	5,579	5,789	4,239	1,746	358	29,522	3		29,525	75.96	10.54	
(%)	(100.0)	(100.0)		(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)		(100.0)		
記載なし																											
総計	1	2		4	5	5	25	67	145	286	540	908	2,010	3,287	4,526	5,579	5,789	4,239	1,746	358	29,522	3		29,525	75.96	10.54	

数値下のかっこ内は列方向の合計に対する％です。
(C)Japanese Society for Dialysis Therapy
2014年調査