

表 308 2014年死亡患者死亡原因分類(年齢別, 原疾患別)原疾患＝腎硬化症

死因	5歳未満	5歳～	10歳～	15歳～	20歳～	25歳～	30歳～	35歳～	40歳～	45歳～	50歳～	55歳～	60歳～	65歳～	70歳～	75歳～	80歳～	85歳～	90歳～	95歳～	合計	不明	記載なし	総計	平均	標準偏差
心不全				1			1		1	4	4	10	17	40	79	141	190	218	116	26	848			848	81.49	9.16
(%)				(100.0)			(100.0)		(25.0)	(30.8)	(44.4)	(26.3)	(22.7)	(26.5)	(24.4)	(26.9)	(24.5)	(27.9)	(28.7)	(28.9)	(26.6)			(26.6)		
脳血管障害									2	3		3	7	14	29	28	44	46	15	6	197			197	79.18	10.33
(%)									(50.0)	(23.1)		(7.9)	(9.3)	(9.3)	(9.0)	(5.3)	(5.7)	(5.9)	(3.7)	(6.7)	(6.2)			(6.2)		
感染症					1					1	1	5	12	23	58	114	179	191	88	16	689			689	82.19	7.95
(%)					(50.0)					(7.7)	(11.1)	(13.2)	(16.0)	(15.2)	(17.9)	(21.7)	(23.1)	(24.5)	(21.8)	(17.8)	(21.6)			(21.6)		
消化管出血													3	1	5	9	10	11	7	2	48			48	82.13	8.77
(%)													(4.0)	(0.7)	(1.5)	(1.7)	(1.3)	(1.4)	(1.7)	(2.2)	(1.5)			(1.5)		
悪性腫瘍					1						1	7	14	18	31	66	78	54	37	6	313			313	79.65	9.53
(%)					(50.0)						(11.1)	(18.4)	(18.7)	(11.9)	(9.6)	(12.6)	(10.1)	(6.9)	(9.2)	(6.7)	(9.8)			(9.8)		
悪液質/尿毒症														2	8	16	30	49	33	8	146			146	85.47	6.70
(%)														(1.3)	(2.5)	(3.0)	(3.9)	(6.3)	(8.2)	(8.9)	(4.6)			(4.6)		
心筋梗塞											2	2	6	12	21	23	33	29	3	2	133			133	78.02	8.66
(%)											(22.2)	(5.3)	(8.0)	(7.9)	(6.5)	(4.4)	(4.3)	(3.7)	(0.7)	(2.2)	(4.2)			(4.2)		
カリウム中毒/頓死										1		1	2	9	8	12	28	12	7	2	82			82	79.57	9.12
(%)										(7.7)		(2.6)	(2.7)	(6.0)	(2.5)	(2.3)	(3.6)	(1.5)	(1.7)	(2.2)	(2.6)			(2.6)		
肝硬変症												1	2		7	5	6	2	1		24			24	76.13	8.12
(%)												(2.6)	(2.7)		(2.2)	(1.0)	(0.8)	(0.3)	(0.2)	(0.8)			(0.8)			
自殺/拒否														2	1	5	6	7	1	2	24			24	82.00	7.93
(%)														(1.3)	(0.3)	(1.0)	(0.8)	(0.9)	(0.2)	(2.2)	(0.8)			(0.8)		
腸閉塞									1						3	4	4	8	8	3	31			31	79.32	9.90
(%)									(25.0)					(2.0)	(1.2)	(0.8)	(1.0)	(1.0)	(0.7)	(1.0)	(1.0)			(1.0)		
肺血栓/肺塞栓														1		2	2	2	1	1	9			9	82.56	8.90
(%)														(0.7)		(0.4)	(0.3)	(0.3)	(0.2)	(1.1)	(0.3)			(0.3)		
災害・事故死												2	1		6	3	2	4	4		22			22	78.09	10.83
(%)												(5.3)	(1.3)		(1.9)	(0.6)	(0.3)	(0.5)	(1.0)		(0.7)			(0.7)		
その他										2		2	6	9	32	49	83	91	53	14	341			341	82.67	8.05
(%)										(15.4)		(5.3)	(8.0)	(6.0)	(9.9)	(9.3)	(10.7)	(11.7)	(13.1)	(15.6)	(10.7)			(10.7)		
不明										2	1	5	5	17	35	48	76	56	35	5	285			285	80.49	8.95
(%)										(15.4)	(11.1)	(13.2)	(6.7)	(11.3)	(10.8)	(9.1)	(9.8)	(7.2)	(8.7)	(5.6)	(8.9)			(8.9)		
合計				1	2		1		4	13	9	38	75	151	324	525	775	780	404	90	3,192			3,192	81.28	8.90
(%)				(100.0)	(100.0)		(100.0)		(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)			(100.0)		
記載なし																										
総計				1	2		1		4	13	9	38	75	151	324	525	775	780	404	90	3,192			3,192	81.28	8.90

数値下のかっこ内は列方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査