

表 310 2014年死亡患者死亡原因分類(年齢別, 原疾患別)原疾患＝糖尿病性腎症

死因	5歳未満	5歳～	10歳～	15歳～	20歳～	25歳～	30歳～	35歳～	40歳～	45歳～	50歳～	55歳～	60歳～	65歳～	70歳～	75歳～	80歳～	85歳～	90歳～	95歳～	合計	不明	記載なし	総計	平均	標準偏差
心不全					1		2	6	16	33	74	98	242	401	570	623	640	387	125	25	3,243			3,243	74.89	10.12
(%)					(100.0)		(33.3)	(20.0)	(25.8)	(21.4)	(26.3)	(22.5)	(23.7)	(23.9)	(26.8)	(26.2)	(29.7)	(31.0)	(31.5)	(41.7)	(27.0)			(27.0)		
脳血管障害								3	10	29	32	47	106	160	153	174	122	53	18		907			907	70.79	10.59
(%)								(10.0)	(16.1)	(18.8)	(11.4)	(10.8)	(10.4)	(9.5)	(7.2)	(7.3)	(5.7)	(4.3)	(4.5)		(7.5)			(7.5)		
感染症		1					2	5	8	21	41	78	176	314	461	536	464	292	83	10	2,492			2,492	74.89	9.65
(%)		(100.0)					(33.3)	(16.7)	(12.9)	(13.6)	(14.6)	(17.9)	(17.3)	(18.7)	(21.7)	(22.6)	(21.6)	(23.4)	(20.9)	(16.7)	(20.7)			(20.7)		
消化管出血									2	2	2	8	15	26	35	38	22	15	4		169			169	73.07	9.52
(%)									(3.2)	(1.3)	(0.7)	(1.8)	(1.5)	(1.5)	(1.6)	(1.6)	(1.0)	(1.2)	(1.0)		(1.4)			(1.4)		
悪性腫瘍										4	13	26	85	155	189	185	189	88	25		959			959	74.41	8.75
(%)										(2.6)	(4.6)	(6.0)	(8.3)	(9.2)	(8.9)	(7.8)	(8.8)	(7.1)	(6.3)		(8.0)			(8.0)		
悪液質/尿毒症										1	1	10	25	40	58	95	111	81	37	5	464			464	78.43	8.93
(%)										(0.6)	(0.4)	(2.3)	(2.5)	(2.4)	(2.7)	(4.0)	(5.2)	(6.5)	(9.3)	(8.3)	(3.9)			(3.9)		
心筋梗塞								4	3	11	27	41	78	130	134	119	110	47	11	3	718			718	71.46	10.19
(%)								(13.3)	(4.8)	(7.1)	(9.6)	(9.4)	(7.6)	(7.7)	(6.3)	(5.0)	(5.1)	(3.8)	(2.8)	(5.0)	(6.0)			(6.0)		
カリウム中毒/頓死							1	1	9	11	21	25	47	65	72	74	44	27	3		400			400	69.60	10.98
(%)							(16.7)	(3.3)	(14.5)	(7.1)	(7.5)	(5.7)	(4.6)	(3.9)	(3.4)	(3.1)	(2.0)	(2.2)	(0.8)		(3.3)			(3.3)		
肝硬変症								1		1	1	4	14	23	26	20	10	3			103			103	70.65	8.31
(%)								(3.3)		(0.6)	(0.4)	(0.9)	(1.4)	(1.4)	(1.2)	(0.8)	(0.5)	(0.2)		(0.9)			(0.9)			
自殺/拒否								2		5	4	11	9	15	16	12	12	5	1	1	93			93	68.92	12.11
(%)								(6.7)		(3.2)	(1.4)	(2.5)	(0.9)	(0.9)	(0.8)	(0.5)	(0.6)	(0.4)	(0.3)	(1.7)	(0.8)			(0.8)		
腸閉塞										1	2	5	10	10	16	25	21	13	4		107			107	75.00	9.62
(%)										(0.6)	(0.7)	(1.1)	(1.0)	(0.6)	(0.8)	(1.1)	(1.0)	(1.0)	(1.0)		(0.9)			(0.9)		
肺血栓/肺塞栓								2		1			2	4	5	6	6	2	2		30			30	72.73	13.46
(%)								(6.7)		(0.6)			(0.2)	(0.2)	(0.2)	(0.3)	(0.3)	(0.2)	(0.5)		(0.2)			(0.2)		
災害・事故死									1			4	8	13	17	6	6	1	2		58			58	70.78	9.02
(%)									(1.6)			(0.9)	(0.8)	(0.8)	(0.8)	(0.3)	(0.3)	(0.1)	(0.5)		(0.5)			(0.5)		
その他								2	4	7	14	28	61	103	153	202	176	124	47	9	930			930	75.89	9.92
(%)								(6.7)	(6.5)	(4.5)	(5.0)	(6.4)	(6.0)	(6.1)	(7.2)	(8.5)	(8.2)	(9.9)	(11.8)	(15.0)	(7.7)			(7.7)		
不明							1	4	9	27	49	51	142	222	221	260	219	109	35	7	1,356			1,356	72.44	10.56
(%)							(16.7)	(13.3)	(14.5)	(17.5)	(17.4)	(11.7)	(13.9)	(13.2)	(10.4)	(10.9)	(10.2)	(8.7)	(8.8)	(11.7)	(11.3)			(11.3)		
合計		1			1		6	30	62	154	281	436	1,020	1,681	2,126	2,375	2,152	1,247	397	60	12,029			12,029	73.97	10.17
(%)		(100.0)			(100.0)		(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)	(100.0)			(100.0)		
記載なし																										
総計		1			1		6	30	62	154	281	436	1,020	1,681	2,126	2,375	2,152	1,247	397	60	12,029			12,029	73.97	10.17

数値下のかっこ内は列方向の合計に対する％です。
(C)Japanese Society for Dialysis Therapy
2014年調査