

表 333 1983年以降導入2014年末患者治療方法、原疾患別

原疾患	施設血液透析	血液透析濾過	血液濾過	血液吸着透析	在宅血液透析	腹膜透析	合計	記載なし	総計
慢性糸球体腎炎	74,115	15,210	18	722	260	3,053	93,378		93,378
(%)	(79.4)	(16.3)	(0.0)	(0.8)	(0.3)	(3.3)	(100.0)		
慢性腎盂腎炎	2,398	429		12	12	93	2,944		2,944
(%)	(81.5)	(14.6)		(0.4)	(0.4)	(3.2)	(100.0)		
急速進行性糸球体腎炎	2,097	298		4	2	74	2,475		2,475
(%)	(84.7)	(12.0)		(0.2)	(0.1)	(3.0)	(100.0)		
妊娠腎/妊娠中毒症	1,079	329		32		31	1,471		1,471
(%)	(73.4)	(22.4)		(2.2)		(2.1)	(100.0)		
その他の分類不能の腎炎	1,029	195	1	10	5	85	1,325		1,325
(%)	(77.7)	(14.7)	(0.1)	(0.8)	(0.4)	(6.4)	(100.0)		
多発性嚢胞腎	9,047	1,575	7	41	31	243	10,944		10,944
(%)	(82.7)	(14.4)	(0.1)	(0.4)	(0.3)	(2.2)	(100.0)		
腎硬化症	24,019	3,125	11	16	17	1,083	28,271		28,271
(%)	(85.0)	(11.1)	(0.0)	(0.1)	(0.1)	(3.8)	(100.0)		
悪性高血圧	2,101	344	1	5	3	107	2,561		2,561
(%)	(82.0)	(13.4)	(0.0)	(0.2)	(0.1)	(4.2)	(100.0)		
糖尿病性腎症	100,807	14,276	33	87	80	2,766	118,049		118,049
(%)	(85.4)	(12.1)	(0.0)	(0.1)	(0.1)	(2.3)	(100.0)		
SLE腎炎	1,742	383	1	10	7	62	2,205		2,205
(%)	(79.0)	(17.4)	(0.0)	(0.5)	(0.3)	(2.8)	(100.0)		
アミロイド腎	375	64			2	9	450		450
(%)	(83.3)	(14.2)			(0.4)	(2.0)	(100.0)		
痛風腎	899	161		7	1	33	1,101		1,101
(%)	(81.7)	(14.6)		(0.6)	(0.1)	(3.0)	(100.0)		
先天性代謝異常による腎不全	195	47			3	18	263		263
(%)	(74.1)	(17.9)			(1.1)	(6.8)	(100.0)		
腎・尿路結核	164	19		4		1	188		188
(%)	(87.2)	(10.1)		(2.1)		(0.5)	(100.0)		
腎・尿路結石	487	69		3	1	16	576		576
(%)	(84.5)	(12.0)		(0.5)	(0.2)	(2.8)	(100.0)		
腎・尿路腫瘍	771	99		1		14	885		885
(%)	(87.1)	(11.2)		(0.1)		(1.6)	(100.0)		
閉塞性尿路障害	612	79		2	1	22	716		716
(%)	(85.5)	(11.0)		(0.3)	(0.1)	(3.1)	(100.0)		
骨髄腫	245	23				8	276		276
(%)	(88.8)	(8.3)				(2.9)	(100.0)		
腎形成不全	439	108	1	2		76	626		626
(%)	(70.1)	(17.3)	(0.2)	(0.3)		(12.1)	(100.0)		
不明	22,646	3,683	13	50	50	840	27,282		27,282
(%)	(83.0)	(13.5)	(0.0)	(0.2)	(0.2)	(3.1)	(100.0)		
再導入	1,558	425		27	14	50	2,074		2,074
(%)	(75.1)	(20.5)		(1.3)	(0.7)	(2.4)	(100.0)		
その他	6,231	940	3	20	19	249	7,462		7,462
(%)	(83.5)	(12.6)	(0.0)	(0.3)	(0.3)	(3.3)	(100.0)		
合計	253,056	41,881	89	1,055	508	8,933	305,522		305,522
(%)	(82.8)	(13.7)	(0.0)	(0.3)	(0.2)	(2.9)	(100.0)		
記載なし									
(%)									
総計	253,056	41,881	89	1,055	508	8,933	305,522		305,522
(%)	(82.8)	(13.7)	(0.0)	(0.3)	(0.2)	(2.9)	(100.0)		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査