

表 353 2012年導入患者2年生存率(原疾患, 年齢別)

原疾患	0歳～		15歳～		30歳～		45歳～		60歳～		75歳～		90歳～		記載なし		合計	
慢性糸球体腎炎			76	1.000	433	0.989	1,027	0.962	2,496	0.911	2,203	0.741	102	0.536			6,337	0.852
慢性腎盂腎炎			5	1.000	20	0.946	46	0.938	86	0.811	72	0.660	3	0.333			232	0.789
急速進行性糸球体腎炎			4	0.833	14	1.000	48	0.870	130	0.792	147	0.661	9	0.467			352	0.739
妊娠腎／妊娠中毒症					7	1.000	8	1.000	18	0.944	7	1.000					40	0.974
その他分類不能の腎炎			5	1.000	17	1.000	18	0.822	44	0.823	30	0.639	1	0.500			115	0.789
多発性嚢胞腎	2	1.000	2	1.000	74	0.987	268	0.982	358	0.938	158	0.871	6	0.667			868	0.941
腎硬化症			5	1.000	84	0.978	328	0.965	1,297	0.894	2,109	0.757	142	0.609	1	1.000	3,966	0.814
悪性高血圧			4	1.000	42	1.000	50	0.962	74	0.902	87	0.754	3	0.167			260	0.861
糖尿病性腎症	2	1.000	17	1.000	772	0.974	3,005	0.940	7,025	0.887	3,832	0.750	85	0.600			14,738	0.861
SLE腎炎	1	1.000	10	0.913	30	0.880	41	0.928	87	0.788	36	0.486					205	0.757
アミロイド腎					5	1.000	9	0.727	40	0.571	16	0.519					70	0.590
痛風腎					4	1.000	16	1.000	36	0.921	21	0.864					77	0.925
先天性代謝異常に基づく腎不全	2	1.000	3	1.000	4	1.000	2	0.667	5	1.000							16	0.941
腎・尿路結核									8	1.000	3	0.600	1	0.500			12	0.750
腎・尿路結石					2	1.000	4	1.000	34	0.889	17	0.619	1	0.000			58	0.796
腎・尿路腫瘍					3	0.750	14	0.933	58	0.833	59	0.619	1	0.333			135	0.722
閉塞性尿路障害			1	1.000	3	0.800	10	1.000	30	0.659	32	0.615	1	0.500	1	1.000	78	0.685
骨髄腫					2	1.000	5	0.400	35	0.415	31	0.494	2	0.500			75	0.458
腎形成不全	13	1.000	8	1.000	6	1.000	7	1.000	8	0.778	8	1.000	1	1.000			51	0.961
不明	1	1.000	20	0.959	142	0.936	383	0.904	1,185	0.798	1,427	0.649	84	0.509			3,242	0.735
移植後再導入	1	1.000	6	1.000	32	0.967	59	0.882	38	0.632	17	0.510					153	0.775
その他	4	1.000	27	0.877	59	0.908	126	0.765	339	0.701	317	0.564	17	0.519	1	1.000	890	0.668
記載なし																		
合 計	26	1.000	193	0.964	1,755	0.971	5,474	0.937	13,431	0.871	10,629	0.723	459	0.554	3	1.000	31,970	0.828