

表 396 ETRF装着率(%) ET測定頻度別（ベッドサイドコンソール台数≧1）

ET測定頻度	0(装着せず)	10未満	10～	20～	30～	40～	50～	60～	70～	80～	90～	100(全台装着)	合計	記載なし	総計	平均	標準偏差
なし	38	1	3	4	1		6	5	1		3	69	131	2	133	61.65	45.12
(%)	(29.0)	(0.8)	(2.3)	(3.1)	(0.8)		(4.6)	(3.8)	(0.8)		(2.3)	(52.7)	(100.0)				
毎日	1					1				1	1	23	27		27	93.31	22.04
(%)	(3.7)					(3.7)				(3.7)	(3.7)	(85.2)	(100.0)				
毎週		2		2	2	1	3	2	4	4	14	130	164	1	165	94.34	17.08
(%)		(1.2)		(1.2)	(1.2)	(0.6)	(1.8)	(1.2)	(2.4)	(2.4)	(8.5)	(79.3)	(100.0)				
隔週	3	4	1	6	4	4		1	7	8	12	203	253		253	91.74	22.59
(%)	(1.2)	(1.6)	(0.4)	(2.4)	(1.6)	(1.6)		(0.4)	(2.8)	(3.2)	(4.7)	(80.2)	(100.0)				
毎月	63	51	51	42	41	25	41	37	42	60	127	2,302	2,882	2	2,884	90.09	25.38
(%)	(2.2)	(1.8)	(1.8)	(1.5)	(1.4)	(0.9)	(1.4)	(1.3)	(1.5)	(2.1)	(4.4)	(79.9)	(100.0)				
年数回	15	8	8	7	7	3	6	8	8	9	21	321	421		421	87.76	27.94
(%)	(3.6)	(1.9)	(1.9)	(1.7)	(1.7)	(0.7)	(1.4)	(1.9)	(1.9)	(2.1)	(5.0)	(76.2)	(100.0)				
年1回	23	6	8	5	6	3	3	6	4	14	10	257	345	1	346	84.92	31.93
(%)	(6.7)	(1.7)	(2.3)	(1.4)	(1.7)	(0.9)	(0.9)	(1.7)	(1.2)	(4.1)	(2.9)	(74.5)	(100.0)				
合計	143	72	71	66	61	37	59	59	66	96	188	3,305	4,223	6	4,229	88.84	27.11
(%)	(3.4)	(1.7)	(1.7)	(1.6)	(1.4)	(0.9)	(1.4)	(1.4)	(1.6)	(2.3)	(4.5)	(78.3)	(100.0)				
不明	16	1	1	5	1		4	3	3	1		33	68	1	69	61.44	43.14
(%)	(23.5)	(1.5)	(1.5)	(7.4)	(1.5)		(5.9)	(4.4)	(4.4)	(1.5)		(48.5)	(100.0)				
記載なし												1	1	5	6	100.00	
(%)												(100.0)	(100.0)				
総計	159	73	72	71	62	37	63	62	69	97	188	3,339	4,292	12	4,304	88.41	27.64
(%)	(3.7)	(1.7)	(1.7)	(1.7)	(1.4)	(0.9)	(1.5)	(1.4)	(1.6)	(2.3)	(4.4)	(77.8)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査