

表 494 専従専門医の有無 血流量(ml/分)別(透析患者全体)

血流量	なし	あり	合計	記載なし	総計
100未満	17	39	56		56
(%)	(30.4)	(69.6)	(100.0)		
100～	427	511	938		938
(%)	(45.5)	(54.5)	(100.0)		
120～	1,118	1,436	2,554		2,554
(%)	(43.8)	(56.2)	(100.0)		
140～	9,923	11,046	20,969		20,969
(%)	(47.3)	(52.7)	(100.0)		
160～	3,250	3,571	6,821		6,821
(%)	(47.6)	(52.4)	(100.0)		
180～	16,158	18,996	35,154		35,154
(%)	(46.0)	(54.0)	(100.0)		
200～	52,800	65,941	118,741		118,741
(%)	(44.5)	(55.5)	(100.0)		
220～	15,385	22,044	37,429		37,429
(%)	(41.1)	(58.9)	(100.0)		
240～	15,484	22,055	37,539		37,539
(%)	(41.2)	(58.8)	(100.0)		
260～	1,289	2,437	3,726		3,726
(%)	(34.6)	(65.4)	(100.0)		
280～	1,198	2,243	3,441		3,441
(%)	(34.8)	(65.2)	(100.0)		
300～	2,460	4,526	6,986		6,986
(%)	(35.2)	(64.8)	(100.0)		
350～	241	573	814		814
(%)	(29.6)	(70.4)	(100.0)		
400～	369	608	977		977
(%)	(37.8)	(62.2)	(100.0)		
合計	120,119	156,026	276,145		276,145
(%)	(43.5)	(56.5)	(100.0)		
記載なし	13,221	20,741	33,962	1	33,963
(%)	(38.9)	(61.1)	(100.0)		
総計	133,340	176,767	310,107	1	310,108
(%)	(43.0)	(57.0)	(100.0)		
平均	205.17	209.15	207.42		207.42
標準偏差	36.61	38.83	37.93		37.93

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査