

表 513 専従専門医の有無 透析時間(時間/回)別(施設血液透析患者)

透析時間	なし	あり	合計	記載なし	総計
3.0未満	413	286	699		699
(%)	(59.1)	(40.9)	(100.0)		
3.0～	14,265	13,323	27,588		27,588
(%)	(51.7)	(48.3)	(100.0)		
3.5～	8,702	9,864	18,566		18,566
(%)	(46.9)	(53.1)	(100.0)		
4.0～	68,531	90,256	158,787		158,787
(%)	(43.2)	(56.8)	(100.0)		
4.5～	4,719	7,143	11,862		11,862
(%)	(39.8)	(60.2)	(100.0)		
5.0～	5,413	10,453	15,866		15,866
(%)	(34.1)	(65.9)	(100.0)		
5.5～	194	430	624		624
(%)	(31.1)	(68.9)	(100.0)		
6.0～	256	793	1,049		1,049
(%)	(24.4)	(75.6)	(100.0)		
6.5～	11	50	61		61
(%)	(18.0)	(82.0)	(100.0)		
7.0～	23	534	557		557
(%)	(4.1)	(95.9)	(100.0)		
合計	102,527	133,132	235,659		235,659
(%)	(43.5)	(56.5)	(100.0)		
記載なし	7,965	12,017	19,982		19,982
(%)	(39.9)	(60.1)	(100.0)		
総計	110,492	145,149	255,641		255,641
(%)	(43.2)	(56.8)	(100.0)		
平均	3.90	4.01	3.96		3.96
標準偏差	0.50	0.56	0.53		0.53

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査