

表 515 専従専門医の有無 身長(cm)別(施設血液透析患者)

身長	なし	あり	合計	記載なし	総計
130未満	118	133	251		251
(%)	(47.0)	(53.0)	(100.0)		
130～	285	326	611		611
(%)	(46.6)	(53.4)	(100.0)		
135～	1,160	1,302	2,462		2,462
(%)	(47.1)	(52.9)	(100.0)		
140～	3,993	4,821	8,814		8,814
(%)	(45.3)	(54.7)	(100.0)		
145～	8,931	10,961	19,892		19,892
(%)	(44.9)	(55.1)	(100.0)		
150～	14,014	17,616	31,630		31,630
(%)	(44.3)	(55.7)	(100.0)		
155～	15,968	20,754	36,722		36,722
(%)	(43.5)	(56.5)	(100.0)		
160～	19,329	25,156	44,485		44,485
(%)	(43.5)	(56.5)	(100.0)		
165～	16,477	23,008	39,485		39,485
(%)	(41.7)	(58.3)	(100.0)		
170～	10,369	14,589	24,958		24,958
(%)	(41.5)	(58.5)	(100.0)		
175～	3,622	5,386	9,008		9,008
(%)	(40.2)	(59.8)	(100.0)		
180～	925	1,441	2,366		2,366
(%)	(39.1)	(60.9)	(100.0)		
185～	131	241	372		372
(%)	(35.2)	(64.8)	(100.0)		
190～	27	35	62		62
(%)	(43.5)	(56.5)	(100.0)		
合計	95,349	125,769	221,118		221,118
(%)	(43.1)	(56.9)	(100.0)		
記載なし	15,143	19,380	34,523		34,523
(%)	(43.9)	(56.1)	(100.0)		
総計	110,492	145,149	255,641		255,641
(%)	(43.2)	(56.8)	(100.0)		
平均	159.58	160.17	159.91		159.91
標準偏差	9.61	9.60	9.60		9.60

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査