

表 520 専従専門医の有無 透析前CRP濃度(mg/dL)別(施設血液透析患者)

透析前CRP濃度	なし	あり	合計	記載なし	総計
0.2未満	46,590	63,459	110,049		110,049
(%)	(42.3)	(57.7)	(100.0)		
0.2～	15,812	20,974	36,786		36,786
(%)	(43.0)	(57.0)	(100.0)		
0.5～	8,223	10,664	18,887		18,887
(%)	(43.5)	(56.5)	(100.0)		
1.0～	5,377	6,883	12,260		12,260
(%)	(43.9)	(56.1)	(100.0)		
2.0～	3,380	4,195	7,575		7,575
(%)	(44.6)	(55.4)	(100.0)		
4.0～	1,160	1,560	2,720		2,720
(%)	(42.6)	(57.4)	(100.0)		
6.0～	619	732	1,351		1,351
(%)	(45.8)	(54.2)	(100.0)		
8.0～	313	426	739		739
(%)	(42.4)	(57.6)	(100.0)		
10.0～	348	533	881		881
(%)	(39.5)	(60.5)	(100.0)		
15.0～	248	347	595		595
(%)	(41.7)	(58.3)	(100.0)		
合計	82,070	109,773	191,843		191,843
(%)	(42.8)	(57.2)	(100.0)		
記載なし	28,422	35,376	63,798		63,798
(%)	(44.5)	(55.5)	(100.0)		
総計	110,492	145,149	255,641		255,641
(%)	(43.2)	(56.8)	(100.0)		
平均	0.65	0.65	0.65		0.65
標準偏差	1.90	1.99	1.96		1.96

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査