

表 542 専従専門医の有無 PTH値(pg/mL)別(腹膜透析患者、PTH測定法:intact-PTH)

PTH値	なし	あり	合計	記載なし	総計
20未満	57	66	123		123
(%)	(46.3)	(53.7)	(100.0)		
20～	117	164	281		281
(%)	(41.6)	(58.4)	(100.0)		
40～	94	174	268		268
(%)	(35.1)	(64.9)	(100.0)		
60～	125	190	315		315
(%)	(39.7)	(60.3)	(100.0)		
80～	113	196	309		309
(%)	(36.6)	(63.4)	(100.0)		
100～	124	191	315	1	316
(%)	(39.4)	(60.6)	(100.0)		
120～	139	166	305		305
(%)	(45.6)	(54.4)	(100.0)		
140～	129	156	285		285
(%)	(45.3)	(54.7)	(100.0)		
160～	114	162	276		276
(%)	(41.3)	(58.7)	(100.0)		
180～	241	413	654		654
(%)	(36.9)	(63.1)	(100.0)		
240～	2	8	10		10
(%)	(20.0)	(80.0)	(100.0)		
241～	177	254	431		431
(%)	(41.1)	(58.9)	(100.0)		
300～	128	203	331		331
(%)	(38.7)	(61.3)	(100.0)		
360～	67	133	200		200
(%)	(33.5)	(66.5)	(100.0)		
420～	48	91	139		139
(%)	(34.5)	(65.5)	(100.0)		
480～	19	24	43		43
(%)	(44.2)	(55.8)	(100.0)		
500～	17	37	54		54
(%)	(31.5)	(68.5)	(100.0)		
540～	34	39	73		73
(%)	(46.6)	(53.4)	(100.0)		
600～	50	55	105		105
(%)	(47.6)	(52.4)	(100.0)		
800～	60	50	110		110
(%)	(54.5)	(45.5)	(100.0)		
合計	1,855	2,772	4,627	1	4,628
(%)	(40.1)	(59.9)	(100.0)		
記載なし	165	211	376		376
(%)	(43.9)	(56.1)	(100.0)		
総計	2,020	2,983	5,003	1	5,004
(%)	(40.4)	(59.6)	(100.0)		
平均	232.46	218.17	223.90	103.00	223.88
標準偏差	252.01	212.66	229.33		229.31

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査