

表 557 糖尿病の既往 原疾患別（透析患者全体）

原疾患	既往なし	既往あり	合計	不明	記載なし	総計
慢性糸球体腎炎	67,141	8,913	76,054	115	20,801	96,970
(%)	(88.3)	(11.7)	(100.0)			
慢性腎盂腎炎	2,121	303	2,424	6	612	3,042
(%)	(87.5)	(12.5)	(100.0)			
急速進行性糸球体腎炎	1,534	441	1,975	4	515	2,494
(%)	(77.7)	(22.3)	(100.0)			
妊娠腎/妊娠中毒症	1,169	119	1,288	6	320	1,614
(%)	(90.8)	(9.2)	(100.0)			
その他の分類不能の腎炎	932	139	1,071	2	300	1,373
(%)	(87.0)	(13.0)	(100.0)			
多発性嚢胞腎	8,002	697	8,699	17	2,290	11,006
(%)	(92.0)	(8.0)	(100.0)			
腎硬化症	19,066	3,753	22,819	66	5,413	28,298
(%)	(83.6)	(16.4)	(100.0)			
悪性高血圧	1,756	254	2,010	4	559	2,573
(%)	(87.4)	(12.6)	(100.0)			
糖尿病性腎症	46	115,254	115,300		2,781	118,081
(%)	(0.0)	(100.0)	(100.0)			
SLE腎炎	1,501	273	1,774	6	456	2,236
(%)	(84.6)	(15.4)	(100.0)			
アミロイド腎	284	62	346	3	102	451
(%)	(82.1)	(17.9)	(100.0)			
痛風腎	807	100	907	3	203	1,113
(%)	(89.0)	(11.0)	(100.0)			
先天性代謝異常による腎不全	187	27	214		58	272
(%)	(87.4)	(12.6)	(100.0)			
腎・尿路結核	144	12	156		50	206
(%)	(92.3)	(7.7)	(100.0)			
腎・尿路結石	398	56	454		127	581
(%)	(87.7)	(12.3)	(100.0)			
腎・尿路腫瘍	584	100	684		202	886
(%)	(85.4)	(14.6)	(100.0)			
閉塞性尿路障害	532	54	586	1	136	723
(%)	(90.8)	(9.2)	(100.0)			
骨髄腫	192	32	224	1	51	276
(%)	(85.7)	(14.3)	(100.0)			
腎形成不全	498	33	531		118	649
(%)	(93.8)	(6.2)	(100.0)			
不明	16,999	4,161	21,160	93	6,291	27,544
(%)	(80.3)	(19.7)	(100.0)			
再導入	1,459	278	1,737	1	425	2,163
(%)	(84.0)	(16.0)	(100.0)			
その他	4,552	1,365	5,917	30	1,610	7,557
(%)	(76.9)	(23.1)	(100.0)			
合計	129,904	136,426	266,330	358	43,420	310,108
(%)	(48.8)	(51.2)	(100.0)			
記載なし						
(%)						
総計	129,904	136,426	266,330	358	43,420	310,108
(%)	(48.8)	(51.2)	(100.0)			

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査