

表 571 糖尿病の既往 Body Mass Index別（透析患者全体）

Body Mass Index	既往なし	既往あり	合計	不明	記載なし	総計
14未満	917	480	1,397		189	1,586
(%)	(65.6)	(34.4)	(100.0)			
14～	5,325	2,846	8,171	17	1,002	9,190
(%)	(65.2)	(34.8)	(100.0)			
16～	17,073	9,959	27,032	49	3,142	30,223
(%)	(63.2)	(36.8)	(100.0)			
18～	28,474	20,167	48,641	49	5,167	53,857
(%)	(58.5)	(41.5)	(100.0)			
20～	29,109	25,314	54,423	49	5,448	59,920
(%)	(53.5)	(46.5)	(100.0)			
22～	19,798	22,793	42,591	30	3,800	46,421
(%)	(46.5)	(53.5)	(100.0)			
24～	10,550	15,365	25,915	25	2,026	27,966
(%)	(40.7)	(59.3)	(100.0)			
26～	4,962	9,014	13,976	8	945	14,929
(%)	(35.5)	(64.5)	(100.0)			
28～	2,276	4,986	7,262	11	443	7,716
(%)	(31.3)	(68.7)	(100.0)			
30～	1,813	4,456	6,269	3	339	6,611
(%)	(28.9)	(71.1)	(100.0)			
合計	120,297	115,380	235,677	241	22,501	258,419
(%)	(51.0)	(49.0)	(100.0)			
記載なし	9,607	21,046	30,653	117	20,919	51,689
(%)	(31.3)	(68.7)	(100.0)			
総計	129,904	136,426	266,330	358	43,420	310,108
(%)	(48.8)	(51.2)	(100.0)			
平均	20.87	22.29	21.57	20.80	20.91	21.51
標準偏差	3.40	3.81	3.68	3.70	3.42	3.66

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査