

表 584 糖尿病の既往 透析前拡張期血圧(mmHg)別（透析患者全体）

透析前拡張 期血圧	既往なし	既往あり	合計	不明	記載なし	総計
20未満	40	32	72		8	80
(%)	(55.6)	(44.4)	(100.0)			
20～	373	324	697		99	796
(%)	(53.5)	(46.5)	(100.0)			
40～	8,993	9,585	18,578	25	1,877	20,480
(%)	(48.4)	(51.6)	(100.0)			
60～	49,530	52,039	101,569	132	10,177	111,878
(%)	(48.8)	(51.2)	(100.0)			
80～	28,135	25,841	53,976	53	5,658	59,687
(%)	(52.1)	(47.9)	(100.0)			
90～	15,504	13,614	29,118	38	3,095	32,251
(%)	(53.2)	(46.8)	(100.0)			
100～	7,421	6,899	14,320	17	1,434	15,771
(%)	(51.8)	(48.2)	(100.0)			
120～	440	432	872	1	91	964
(%)	(50.5)	(49.5)	(100.0)			
140～	32	33	65		10	75
(%)	(49.2)	(50.8)	(100.0)			
合計	110,468	108,799	219,267	266	22,449	241,982
(%)	(50.4)	(49.6)	(100.0)			
記載なし	19,436	27,627	47,063	92	20,971	68,126
(%)	(41.3)	(58.7)	(100.0)			
総計	129,904	136,426	266,330	358	43,420	310,108
(%)	(48.8)	(51.2)	(100.0)			
平均	78.19	77.31	77.75	77.18	77.97	77.77
標準偏差	14.46	14.41	14.44	14.75	14.51	14.45

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査