

表 600 糖尿病の既往 透析時間(時間/回)別 (施設血液透析患者 透析回数週3回)

透析時間	既往なし	既往あり	合計	不明	記載なし	総計
3.0未満	234	223	457	1	63	521
(%)	(51.2)	(48.8)	(100.0)			
3.0～	10,344	11,915	22,259	46	2,515	24,820
(%)	(46.5)	(53.5)	(100.0)			
3.5～	7,807	8,483	16,290	23	1,626	17,939
(%)	(47.9)	(52.1)	(100.0)			
4.0～	67,597	72,210	139,807	145	15,046	154,998
(%)	(48.4)	(51.6)	(100.0)			
4.5～	5,777	4,849	10,626	8	1,044	11,678
(%)	(54.4)	(45.6)	(100.0)			
5.0～	7,292	6,856	14,148	6	1,433	15,587
(%)	(51.5)	(48.5)	(100.0)			
5.5～	334	206	540		55	595
(%)	(61.9)	(38.1)	(100.0)			
6.0～	460	458	918		76	994
(%)	(50.1)	(49.9)	(100.0)			
6.5～	39	18	57		1	58
(%)	(68.4)	(31.6)	(100.0)			
7.0～	292	168	460		51	511
(%)	(63.5)	(36.5)	(100.0)			
合計	100,176	105,386	205,562	229	21,910	227,701
(%)	(48.7)	(51.3)	(100.0)			
記載なし	282	490	772	1	497	1,270
(%)	(36.5)	(63.5)	(100.0)			
総計	100,458	105,876	206,334	230	22,407	228,971
(%)	(48.7)	(51.3)	(100.0)			
平均	3.99	3.96	3.97	3.80	3.97	3.97
標準偏差	0.54	0.51	0.52	0.47	0.52	0.52

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査