

表 640 糖尿病の既往 透析時間(時間/回)別 (血液透析濾過患者 透析回数週3回)

透析時間	既往なし	既往あり	合計	不明	記載なし	総計
3.0未満	45	41	86		6	92
(%)	(52.3)	(47.7)	(100.0)			
3.0～	930	1,069	1,999	1	282	2,282
(%)	(46.5)	(53.5)	(100.0)			
3.5～	1,138	1,096	2,234		245	2,479
(%)	(50.9)	(49.1)	(100.0)			
4.0～	12,725	10,617	23,342	46	3,046	26,434
(%)	(54.5)	(45.5)	(100.0)			
4.5～	2,222	1,248	3,470	1	377	3,848
(%)	(64.0)	(36.0)	(100.0)			
5.0～	2,245	1,360	3,605		427	4,032
(%)	(62.3)	(37.7)	(100.0)			
5.5～	146	57	203		15	218
(%)	(71.9)	(28.1)	(100.0)			
6.0～	184	84	268	1	15	284
(%)	(68.7)	(31.3)	(100.0)			
6.5～	13	3	16		1	17
(%)	(81.3)	(18.8)	(100.0)			
7.0～	24	8	32		4	36
(%)	(75.0)	(25.0)	(100.0)			
合計	19,672	15,583	35,255	49	4,418	39,722
(%)	(55.8)	(44.2)	(100.0)			
記載なし	13	84	97	1	126	224
(%)	(13.4)	(86.6)	(100.0)			
総計	19,685	15,667	35,352	50	4,544	39,946
(%)	(55.7)	(44.3)	(100.0)			
平均	4.14	4.05	4.10	4.03	4.08	4.10
標準偏差	0.52	0.49	0.50	0.33	0.48	0.50

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査