

表 723 心筋梗塞の既往 PTH値(pg/mL)別（透析患者全体）PTH測定法:whole-PTH

PTH値	既往なし	既往あり	合計	不明	記載なし	総計
20未満	1,440	160	1,600	2	292	1,894
(%)	(90.0)	(10.0)	(100.0)			
20～	1,776	217	1,993	2	336	2,331
(%)	(89.1)	(10.9)	(100.0)			
35～	1,554	194	1,748	1	294	2,043
(%)	(88.9)	(11.1)	(100.0)			
50～	2,374	284	2,658	3	492	3,153
(%)	(89.3)	(10.7)	(100.0)			
75～	2,061	230	2,291	5	452	2,748
(%)	(90.0)	(10.0)	(100.0)			
100～	1,717	185	1,902	4	392	2,298
(%)	(90.3)	(9.7)	(100.0)			
125～	1,118	121	1,239	1	299	1,539
(%)	(90.2)	(9.8)	(100.0)			
150～	38	2	40		8	48
(%)	(95.0)	(5.0)	(100.0)			
151～	929	117	1,046		217	1,263
(%)	(88.8)	(11.2)	(100.0)			
180～	654	73	727		148	875
(%)	(90.0)	(10.0)	(100.0)			
210～	468	50	518		110	628
(%)	(90.3)	(9.7)	(100.0)			
240～	506	51	557		117	674
(%)	(90.8)	(9.2)	(100.0)			
300～	216	13	229		55	284
(%)	(94.3)	(5.7)	(100.0)			
350～	136	17	153		26	179
(%)	(88.9)	(11.1)	(100.0)			
400～	152	17	169		33	202
(%)	(89.9)	(10.1)	(100.0)			
500～	179	21	200		47	247
(%)	(89.5)	(10.5)	(100.0)			
合計	15,318	1,752	17,070	18	3,318	20,406
(%)	(89.7)	(10.3)	(100.0)			
記載なし	357	37	394		263	657
(%)	(90.6)	(9.4)	(100.0)			
総計	15,675	1,789	17,464	18	3,581	21,063
(%)	(89.8)	(10.2)	(100.0)			
平均	107.11	103.56	106.74	71.67	114.70	108.01
標準偏差	111.79	105.14	111.13	37.39	127.86	114.01

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査