

表 730 心筋梗塞の既往 透析前脈拍(拍/分)別 (透析患者全体)

透析前脈拍	既往なし	既往あり	合計	不明	記載なし	総計
40未満	127	26	153		32	185
(%)	(83.0)	(17.0)	(100.0)			
40～	1,750	268	2,018	2	361	2,381
(%)	(86.7)	(13.3)	(100.0)			
50～	14,587	1,816	16,403	62	3,047	19,512
(%)	(88.9)	(11.1)	(100.0)			
60～	45,517	5,366	50,883	162	9,736	60,781
(%)	(89.5)	(10.5)	(100.0)			
70～	55,115	6,097	61,212	194	11,866	73,272
(%)	(90.0)	(10.0)	(100.0)			
80～	34,957	3,752	38,709	142	7,963	46,814
(%)	(90.3)	(9.7)	(100.0)			
90～	15,469	1,655	17,124	67	3,399	20,590
(%)	(90.3)	(9.7)	(100.0)			
100～	4,864	541	5,405	19	969	6,393
(%)	(90.0)	(10.0)	(100.0)			
110～	1,176	112	1,288	4	236	1,528
(%)	(91.3)	(8.7)	(100.0)			
120～	516	53	569	2	84	655
(%)	(90.7)	(9.3)	(100.0)			
合計	174,078	19,686	193,764	654	37,693	232,111
(%)	(89.8)	(10.2)	(100.0)			
記載なし	38,010	4,510	42,520	263	35,214	77,997
(%)	(89.4)	(10.6)	(100.0)			
総計	212,088	24,196	236,284	917	72,907	310,108
(%)	(89.8)	(10.2)	(100.0)			
平均	74.73	74.01	74.65	75.37	74.85	74.69
標準偏差	12.87	12.89	12.88	12.95	12.62	12.84

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査