

表 983 脳梗塞の既往 原疾患別（透析患者全体）

原疾患	既往なし	既往あり	合計	不明	記載なし	総計
慢性糸球体腎炎	63,295	10,977	74,272	264	22,434	96,970
(%)	(85.2)	(14.8)	(100.0)			
慢性腎盂腎炎	2,077	303	2,380	6	656	3,042
(%)	(87.3)	(12.7)	(100.0)			
急速進行性糸球体腎炎	1,688	228	1,916	7	571	2,494
(%)	(88.1)	(11.9)	(100.0)			
妊娠腎/妊娠中毒症	1,096	182	1,278	5	331	1,614
(%)	(85.8)	(14.2)	(100.0)			
その他の分類不能の腎炎	927	109	1,036	2	335	1,373
(%)	(89.5)	(10.5)	(100.0)			
多発性嚢胞腎	7,311	1,219	8,530	33	2,443	11,006
(%)	(85.7)	(14.3)	(100.0)			
腎硬化症	17,845	4,536	22,381	122	5,795	28,298
(%)	(79.7)	(20.3)	(100.0)			
悪性高血圧	1,653	322	1,975	3	595	2,573
(%)	(83.7)	(16.3)	(100.0)			
糖尿病性腎症	70,433	20,900	91,333	383	26,365	118,081
(%)	(77.1)	(22.9)	(100.0)			
SLE腎炎	1,524	219	1,743	8	485	2,236
(%)	(87.4)	(12.6)	(100.0)			
アミロイド腎	299	33	332	2	117	451
(%)	(90.1)	(9.9)	(100.0)			
痛風腎	759	120	879	4	230	1,113
(%)	(86.3)	(13.7)	(100.0)			
先天性代謝異常による腎不全	179	27	206	1	65	272
(%)	(86.9)	(13.1)	(100.0)			
腎・尿路結核	134	21	155		51	206
(%)	(86.5)	(13.5)	(100.0)			
腎・尿路結石	359	90	449		132	581
(%)	(80.0)	(20.0)	(100.0)			
腎・尿路腫瘍	571	94	665	2	219	886
(%)	(85.9)	(14.1)	(100.0)			
閉塞性尿路障害	512	60	572	1	150	723
(%)	(89.5)	(10.5)	(100.0)			
骨髄腫	197	16	213		63	276
(%)	(92.5)	(7.5)	(100.0)			
腎形成不全	487	23	510	1	138	649
(%)	(95.5)	(4.5)	(100.0)			
不明	16,932	3,652	20,584	96	6,864	27,544
(%)	(82.3)	(17.7)	(100.0)			
再導入	1,475	182	1,657	3	503	2,163
(%)	(89.0)	(11.0)	(100.0)			
その他	4,888	819	5,707	37	1,813	7,557
(%)	(85.6)	(14.4)	(100.0)			
合計	194,641	44,132	238,773	980	70,355	310,108
(%)	(81.5)	(18.5)	(100.0)			
記載なし						
(%)						
総計	194,641	44,132	238,773	980	70,355	310,108
(%)	(81.5)	(18.5)	(100.0)			

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査