

表 994 脳梗塞の既往 Body Mass Index別（透析患者全体）

Body Mass Index	既往なし	既往あり	合計	不明	記載なし	総計
14未満	945	399	1,344	3	239	1,586
(%)	(70.3)	(29.7)	(100.0)			
14～	5,900	1,993	7,893	27	1,270	9,190
(%)	(74.7)	(25.3)	(100.0)			
16～	20,474	5,331	25,805	94	4,324	30,223
(%)	(79.3)	(20.7)	(100.0)			
18～	37,276	8,675	45,951	149	7,757	53,857
(%)	(81.1)	(18.9)	(100.0)			
20～	41,630	9,307	50,937	196	8,787	59,920
(%)	(81.7)	(18.3)	(100.0)			
22～	32,607	6,804	39,411	134	6,876	46,421
(%)	(82.7)	(17.3)	(100.0)			
24～	19,778	4,018	23,796	91	4,079	27,966
(%)	(83.1)	(16.9)	(100.0)			
26～	10,701	1,999	12,700	52	2,177	14,929
(%)	(84.3)	(15.7)	(100.0)			
28～	5,616	941	6,557	22	1,137	7,716
(%)	(85.6)	(14.4)	(100.0)			
30～	4,962	679	5,641	19	951	6,611
(%)	(88.0)	(12.0)	(100.0)			
合計	179,889	40,146	220,035	787	37,597	258,419
(%)	(81.8)	(18.2)	(100.0)			
記載なし	14,752	3,986	18,738	193	32,758	51,689
(%)	(78.7)	(21.3)	(100.0)			
総計	194,641	44,132	238,773	980	70,355	310,108
(%)	(81.5)	(18.5)	(100.0)			
平均	21.60	21.06	21.50	21.58	21.54	21.51
標準偏差	3.67	3.57	3.66	3.57	3.65	3.66

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査