

表 1007 脳梗塞の既往 透析前拡張期血圧(mmHg)別（透析患者全体）

透析前拡張 期血圧	既往なし	既往あり	合計	不明	記載なし	総計
20未満	50	15	65		15	80
(%)	(76.9)	(23.1)	(100.0)			
20～	494	161	655	2	139	796
(%)	(75.4)	(24.6)	(100.0)			
40～	13,357	3,863	17,220	75	3,185	20,480
(%)	(77.6)	(22.4)	(100.0)			
60～	75,901	18,216	94,117	418	17,343	111,878
(%)	(80.6)	(19.4)	(100.0)			
80～	41,655	8,400	50,055	167	9,465	59,687
(%)	(83.2)	(16.8)	(100.0)			
90～	22,754	4,303	27,057	86	5,108	32,251
(%)	(84.1)	(15.9)	(100.0)			
100～	11,421	1,814	13,235	43	2,493	15,771
(%)	(86.3)	(13.7)	(100.0)			
120～	704	101	805	2	157	964
(%)	(87.5)	(12.5)	(100.0)			
140～	52	11	63	1	11	75
(%)	(82.5)	(17.5)	(100.0)			
合計	166,388	36,884	203,272	794	37,916	241,982
(%)	(81.9)	(18.1)	(100.0)			
記載なし	28,253	7,248	35,501	186	32,439	68,126
(%)	(79.6)	(20.4)	(100.0)			
総計	194,641	44,132	238,773	980	70,355	310,108
(%)	(81.5)	(18.5)	(100.0)			
平均	78.14	75.94	77.74	76.15	77.97	77.77
標準偏差	14.45	14.28	14.44	14.54	14.47	14.45

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査