

表 1027 脳梗塞の既往 透析前BUN(mg/dL)別（施設血液透析患者 透析回数週3回 透析歴2年以上）

透析前BUN	既往なし	既往あり	合計	不明	記載なし	総計
20未満	283	119	402	3	74	479
(%)	(70.4)	(29.6)	(100.0)			
20～	1,467	626	2,093	11	376	2,480
(%)	(70.1)	(29.9)	(100.0)			
30～	6,319	2,435	8,754	37	1,567	10,358
(%)	(72.2)	(27.8)	(100.0)			
40～	17,178	5,521	22,699	83	4,029	26,811
(%)	(75.7)	(24.3)	(100.0)			
50～	28,456	7,435	35,891	122	6,646	42,659
(%)	(79.3)	(20.7)	(100.0)			
60～	29,169	6,644	35,813	119	6,711	42,643
(%)	(81.4)	(18.6)	(100.0)			
70～	19,869	3,919	23,788	85	4,449	28,322
(%)	(83.5)	(16.5)	(100.0)			
80～	9,369	1,661	11,030	44	2,138	13,212
(%)	(84.9)	(15.1)	(100.0)			
90～	3,359	641	4,000	15	788	4,803
(%)	(84.0)	(16.0)	(100.0)			
100～	960	179	1,139	12	197	1,348
(%)	(84.3)	(15.7)	(100.0)			
110～	284	49	333		61	394
(%)	(85.3)	(14.7)	(100.0)			
120～	132	38	170	1	33	204
(%)	(77.6)	(22.4)	(100.0)			
合計	116,845	29,267	146,112	532	27,069	173,713
(%)	(80.0)	(20.0)	(100.0)			
記載なし	1,370	419	1,789	46	2,661	4,496
(%)	(76.6)	(23.4)	(100.0)			
総計	118,215	29,686	147,901	578	29,730	178,209
(%)	(79.9)	(20.1)	(100.0)			
平均	61.57	58.19	60.89	60.86	61.22	60.94
標準偏差	15.52	15.83	15.64	16.87	15.62	15.64

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査