

表 1127 四肢切断の有無 Body Mass Index別（透析患者全体）

Body Mass Index	切断なし	切断あり	合計	不明	記載なし	総計
14未満	1,242	76	1,318	1	267	1,586
(%)	(94.2)	(5.8)	(100.0)			
14～	7,369	418	7,787	7	1,396	9,190
(%)	(94.6)	(5.4)	(100.0)			
16～	24,626	957	25,583	20	4,620	30,223
(%)	(96.3)	(3.7)	(100.0)			
18～	44,229	1,425	45,654	46	8,157	53,857
(%)	(96.9)	(3.1)	(100.0)			
20～	49,191	1,450	50,641	75	9,204	59,920
(%)	(97.1)	(2.9)	(100.0)			
22～	37,937	1,266	39,203	48	7,170	46,421
(%)	(96.8)	(3.2)	(100.0)			
24～	22,915	789	23,704	38	4,224	27,966
(%)	(96.7)	(3.3)	(100.0)			
26～	12,131	544	12,675	20	2,234	14,929
(%)	(95.7)	(4.3)	(100.0)			
28～	6,278	294	6,572	4	1,140	7,716
(%)	(95.5)	(4.5)	(100.0)			
30～	5,348	330	5,678	9	924	6,611
(%)	(94.2)	(5.8)	(100.0)			
合計	211,266	7,549	218,815	268	39,336	258,419
(%)	(96.6)	(3.4)	(100.0)			
記載なし	17,541	1,238	18,779	52	32,858	51,689
(%)	(93.4)	(6.6)	(100.0)			
総計	228,807	8,787	237,594	320	72,194	310,108
(%)	(96.3)	(3.7)	(100.0)			
平均	21.51	21.68	21.51	21.99	21.47	21.51
標準偏差	3.65	4.18	3.67	3.48	3.62	3.66

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査