

表 1223 四肢切断の有無 身長(cm)別（腹膜透析患者）

身長	切断なし	切断あり	合計	不明	記載なし	総計
130未満	55	3	58		4	62
(%)	(94.8)	(5.2)	(100.0)			
130～	9		9		2	11
(%)	(100.0)		(100.0)			
135～	55	1	56		6	62
(%)	(98.2)	(1.8)	(100.0)			
140～	183	2	185	1	41	227
(%)	(98.9)	(1.1)	(100.0)			
145～	377	1	378	1	91	470
(%)	(99.7)	(0.3)	(100.0)			
150～	703	10	713	1	153	867
(%)	(98.6)	(1.4)	(100.0)			
155～	863	10	873	1	175	1,049
(%)	(98.9)	(1.1)	(100.0)			
160～	1,060	15	1,075	2	253	1,330
(%)	(98.6)	(1.4)	(100.0)			
165～	978	23	1,001	1	210	1,212
(%)	(97.7)	(2.3)	(100.0)			
170～	714	12	726	2	176	904
(%)	(98.3)	(1.7)	(100.0)			
175～	295	11	306		60	366
(%)	(96.4)	(3.6)	(100.0)			
180～	72		72		15	87
(%)	(100.0)		(100.0)			
185～	10	1	11	1	1	13
(%)	(90.9)	(9.1)	(100.0)			
190～	2	1	3		1	4
(%)	(66.7)	(33.3)	(100.0)			
合計	5,376	90	5,466	10	1,188	6,664
(%)	(98.4)	(1.6)	(100.0)			
記載なし	450	12	462	10	1,805	2,277
(%)	(97.4)	(2.6)	(100.0)			
総計	5,826	102	5,928	20	2,993	8,941
(%)	(98.3)	(1.7)	(100.0)			
平均	160.44	162.82	160.47	162.10	160.92	160.56
標準偏差	11.74	13.12	11.77	13.89	10.75	11.59

数値下のカッコ内は行方向の合計に対する％です。

(C)Japanese Society for Dialysis Therapy

2014年調査