

表 1790 腎移植の回数 身長(cm)別 (透析患者全体)

身長	なし	1回	2回	3回	4回以上	合計	不明	記載なし	総計
130未満	298	4	1			303	1	50	354
(%)	(98.3)	(1.3)	(0.3)			(100.0)			
130～	572	5	3			580	1	115	696
(%)	(98.6)	(0.9)	(0.5)			(100.0)			
135～	2,296	20	2			2,318	5	514	2,837
(%)	(99.1)	(0.9)	(0.1)			(100.0)			
140～	8,229	54	4	1		8,288	40	1,969	10,297
(%)	(99.3)	(0.7)	(0.0)	(0.0)		(100.0)			
145～	18,860	166	6	1		19,033	61	4,579	23,673
(%)	(99.1)	(0.9)	(0.0)	(0.0)		(100.0)			
150～	30,276	292	14	1		30,583	119	7,533	38,235
(%)	(99.0)	(1.0)	(0.0)	(0.0)		(100.0)			
155～	35,389	385	24	4		35,802	126	8,544	44,472
(%)	(98.8)	(1.1)	(0.1)	(0.0)		(100.0)			
160～	42,510	509	24	1		43,044	143	10,463	53,650
(%)	(98.8)	(1.2)	(0.1)	(0.0)		(100.0)			
165～	37,975	510	29			38,514	107	9,367	47,988
(%)	(98.6)	(1.3)	(0.1)			(100.0)			
170～	24,458	351	12	1		24,822	92	6,160	31,074
(%)	(98.5)	(1.4)	(0.0)	(0.0)		(100.0)			
175～	8,902	153	13			9,068	25	2,226	11,319
(%)	(98.2)	(1.7)	(0.1)			(100.0)			
180～	2,361	45				2,406	7	566	2,979
(%)	(98.1)	(1.9)				(100.0)			
185～	351	9	2			362	1	102	465
(%)	(97.0)	(2.5)	(0.6)			(100.0)			
190～	59	1				60	1	16	77
(%)	(98.3)	(1.7)				(100.0)			
合計	212,536	2,504	134	9		215,183	729	52,204	268,116
(%)	(98.8)	(1.2)	(0.1)	(0.0)		(100.0)			
記載なし	13,633	146	5			13,784	190	28,018	41,992
(%)	(98.9)	(1.1)	(0.0)			(100.0)			
総計	226,169	2,650	139	9		228,967	919	80,222	310,108
(%)	(98.8)	(1.2)	(0.1)	(0.0)		(100.0)			
平均	160.00	161.98	161.14	155.78		160.02	159.58	160.14	160.05
標準偏差	9.66	9.54	11.54	7.50		9.66	9.54	9.60	9.65

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査