

表 1791 腎移植の回数 Body Mass Index別（透析患者全体）

Body Mass Index	なし	1回	2回	3回	4回以上	合計	不明	記載なし	総計
14未満	1,280	13				1,293	4	289	1,586
(%)	(99.0)	(1.0)				(100.0)			
14～	7,412	100	8	2		7,522	25	1,643	9,190
(%)	(98.5)	(1.3)	(0.1)	(0.0)		(100.0)			
16～	24,260	417	26	3		24,706	85	5,432	30,223
(%)	(98.2)	(1.7)	(0.1)	(0.0)		(100.0)			
18～	43,268	689	31	1		43,989	137	9,731	53,857
(%)	(98.4)	(1.6)	(0.1)	(0.0)		(100.0)			
20～	48,248	587	36	2		48,873	144	10,903	59,920
(%)	(98.7)	(1.2)	(0.1)	(0.0)		(100.0)			
22～	37,388	348	23			37,759	143	8,519	46,421
(%)	(99.0)	(0.9)	(0.1)			(100.0)			
24～	22,626	161	3			22,790	78	5,098	27,966
(%)	(99.3)	(0.7)	(0.0)			(100.0)			
26～	12,028	86				12,114	35	2,780	14,929
(%)	(99.3)	(0.7)				(100.0)			
28～	6,251	41	1			6,293	17	1,406	7,716
(%)	(99.3)	(0.7)	(0.0)			(100.0)			
30～	5,374	28	1			5,403	18	1,190	6,611
(%)	(99.5)	(0.5)	(0.0)			(100.0)			
合計	208,135	2,470	129	8		210,742	686	46,991	258,419
(%)	(98.8)	(1.2)	(0.1)	(0.0)		(100.0)			
記載なし	18,034	180	10	1		18,225	233	33,231	51,689
(%)	(99.0)	(1.0)	(0.1)	(0.0)		(100.0)			
総計	226,169	2,650	139	9		228,967	919	80,222	310,108
(%)	(98.8)	(1.2)	(0.1)	(0.0)		(100.0)			
平均	21.52	20.49	19.87	18.23		21.50	21.44	21.53	21.51
標準偏差	3.66	3.22	2.93	2.58		3.66	3.60	3.65	3.66

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査