

表 1801 腎移植の回数 HDL-C濃度(mg/dL)別（透析患者全体）

| HDL-C濃度 | なし      | 1回    | 2回    | 3回    | 4回以上 | 合計      | 不明    | 記載なし   | 総計      |
|---------|---------|-------|-------|-------|------|---------|-------|--------|---------|
| 20未満    | 645     | 4     |       |       |      | 649     | 3     | 144    | 796     |
| (%)     | (99.4)  | (0.6) |       |       |      | (100.0) |       |        |         |
| 20～     | 12,634  | 107   | 4     |       |      | 12,745  | 34    | 2,844  | 15,623  |
| (%)     | (99.1)  | (0.8) | (0.0) |       |      | (100.0) |       |        |         |
| 30～     | 36,960  | 341   | 15    |       |      | 37,316  | 108   | 8,423  | 45,847  |
| (%)     | (99.0)  | (0.9) | (0.0) |       |      | (100.0) |       |        |         |
| 40～     | 41,148  | 487   | 22    | 2     |      | 41,659  | 125   | 9,568  | 51,352  |
| (%)     | (98.8)  | (1.2) | (0.1) | (0.0) |      | (100.0) |       |        |         |
| 50～     | 29,846  | 413   | 22    | 3     |      | 30,284  | 103   | 7,174  | 37,561  |
| (%)     | (98.6)  | (1.4) | (0.1) | (0.0) |      | (100.0) |       |        |         |
| 60～     | 17,659  | 266   | 14    | 1     |      | 17,940  | 51    | 4,245  | 22,236  |
| (%)     | (98.4)  | (1.5) | (0.1) | (0.0) |      | (100.0) |       |        |         |
| 70～     | 8,654   | 125   | 8     |       |      | 8,787   | 26    | 2,179  | 10,992  |
| (%)     | (98.5)  | (1.4) | (0.1) |       |      | (100.0) |       |        |         |
| 80～     | 4,074   | 91    | 5     |       |      | 4,170   | 11    | 1,048  | 5,229   |
| (%)     | (97.7)  | (2.2) | (0.1) |       |      | (100.0) |       |        |         |
| 90～     | 1,768   | 38    |       |       |      | 1,806   | 4     | 521    | 2,331   |
| (%)     | (97.9)  | (2.1) |       |       |      | (100.0) |       |        |         |
| 100～    | 1,567   | 45    | 3     |       |      | 1,615   | 3     | 383    | 2,001   |
| (%)     | (97.0)  | (2.8) | (0.2) |       |      | (100.0) |       |        |         |
| 合計      | 154,955 | 1,917 | 93    | 6     |      | 156,971 | 468   | 36,529 | 193,968 |
| (%)     | (98.7)  | (1.2) | (0.1) | (0.0) |      | (100.0) |       |        |         |
| 記載なし    | 71,214  | 733   | 46    | 3     |      | 71,996  | 451   | 43,693 | 116,140 |
| (%)     | (98.9)  | (1.0) | (0.1) | (0.0) |      | (100.0) |       |        |         |
| 総計      | 226,169 | 2,650 | 139   | 9     |      | 228,967 | 919   | 80,222 | 310,108 |
| (%)     | (98.8)  | (1.2) | (0.1) | (0.0) |      | (100.0) |       |        |         |
| 平均      | 48.58   | 52.88 | 54.30 | 50.33 |      | 48.64   | 48.48 | 49.22  | 48.75   |
| 標準偏差    | 16.64   | 18.26 | 17.98 | 8.02  |      | 16.67   | 15.95 | 16.87  | 16.71   |

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査