

表 1813 腎移植の回数 身長(cm)別（施設血液透析患者 透析回数週3回）

身長	なし	1回	2回	3回	4回以上	合計	不明	記載なし	総計
130未満	200	3				203		34	237
(%)	(98.5)	(1.5)				(100.0)			
130～	479	4				483		85	568
(%)	(99.2)	(0.8)				(100.0)			
135～	1,875	18	1			1,894	4	407	2,305
(%)	(99.0)	(1.0)	(0.1)			(100.0)			
140～	6,750	41	4			6,795	31	1,457	8,283
(%)	(99.3)	(0.6)	(0.1)			(100.0)			
145～	15,409	103	5	1		15,518	50	3,251	18,819
(%)	(99.3)	(0.7)	(0.0)	(0.0)		(100.0)			
150～	24,281	195	11	1		24,488	92	5,434	30,014
(%)	(99.2)	(0.8)	(0.0)	(0.0)		(100.0)			
155～	28,378	268	13	2		28,661	95	6,101	34,857
(%)	(99.0)	(0.9)	(0.0)	(0.0)		(100.0)			
160～	34,213	328	14			34,555	113	7,590	42,258
(%)	(99.0)	(0.9)	(0.0)			(100.0)			
165～	30,341	337	22			30,700	88	6,788	37,576
(%)	(98.8)	(1.1)	(0.1)			(100.0)			
170～	19,122	234	9	1		19,366	64	4,397	23,827
(%)	(98.7)	(1.2)	(0.0)	(0.0)		(100.0)			
175～	6,863	98	6			6,967	18	1,564	8,549
(%)	(98.5)	(1.4)	(0.1)			(100.0)			
180～	1,808	29				1,837	5	412	2,254
(%)	(98.4)	(1.6)				(100.0)			
185～	277	5	1			283		68	351
(%)	(97.9)	(1.8)	(0.4)			(100.0)			
190～	47	1				48	1	8	57
(%)	(97.9)	(2.1)				(100.0)			
合計	170,043	1,664	86	5		171,798	561	37,596	209,955
(%)	(99.0)	(1.0)	(0.1)	(0.0)		(100.0)			
記載なし	10,728	100	2			10,830	126	8,060	19,016
(%)	(99.1)	(0.9)	(0.0)			(100.0)			
総計	180,771	1,764	88	5		182,628	687	45,656	228,971
(%)	(99.0)	(1.0)	(0.0)	(0.0)		(100.0)			
平均	159.89	161.79	161.43	157.00		159.91	159.43	160.10	159.94
標準偏差	9.59	9.57	9.59	8.43		9.59	9.27	9.59	9.59

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査