

表 1829 腎移植の回数 PTH値(pg/mL)別（施設血液透析患者 透析回数週3回）PTH測定法:whole-PTH

PTH値	なし	1回	2回	3回	4回以上	合計	不明	記載なし	総計
20未満	1,267	23	1			1,291	8	200	1,499
(%)	(98.1)	(1.8)	(0.1)			(100.0)			
20～	1,591	21				1,612	9	227	1,848
(%)	(98.7)	(1.3)				(100.0)			
35～	1,360	24				1,384	10	219	1,613
(%)	(98.3)	(1.7)				(100.0)			
50～	2,072	33				2,105	4	350	2,459
(%)	(98.4)	(1.6)				(100.0)			
75～	1,781	21				1,802	4	342	2,148
(%)	(98.8)	(1.2)				(100.0)			
100～	1,491	25				1,516	7	264	1,787
(%)	(98.4)	(1.6)				(100.0)			
125～	972	16				988	3	196	1,187
(%)	(98.4)	(1.6)				(100.0)			
150～	29					29		8	37
(%)	(100.0)					(100.0)			
151～	780	13	1			794	3	137	934
(%)	(98.2)	(1.6)	(0.1)			(100.0)			
180～	559	11				570	3	93	666
(%)	(98.1)	(1.9)				(100.0)			
210～	372	9				381	4	87	472
(%)	(97.6)	(2.4)				(100.0)			
240～	421	7				428	4	94	526
(%)	(98.4)	(1.6)				(100.0)			
300～	168	6				174	3	28	205
(%)	(96.6)	(3.4)				(100.0)			
350～	105	4				109		26	135
(%)	(96.3)	(3.7)				(100.0)			
400～	115	11	1			127	2	23	152
(%)	(90.6)	(8.7)	(0.8)			(100.0)			
500～	129	5				134	7	25	166
(%)	(96.3)	(3.7)				(100.0)			
合計	13,212	229	3			13,444	71	2,319	15,834
(%)	(98.3)	(1.7)	(0.0)			(100.0)			
記載なし	118					118	1	319	438
(%)	(100.0)					(100.0)			
総計	13,330	229	3			13,562	72	2,638	16,272
(%)	(98.3)	(1.7)	(0.0)			(100.0)			
平均	103.59	144.93	214.33			104.32	165.56	111.87	105.70
標準偏差	103.84	233.12	226.07			107.51	183.48	115.37	109.24

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査