

表 1832 腎移植の回数 HDL-C濃度(mg/dL)別（施設血液透析患者 透析回数週3回）

HDL-C濃度	なし	1回	2回	3回	4回以上	合計	不明	記載なし	総計
20未満	549	3				552	3	116	671
(%)	(99.5)	(0.5)				(100.0)			
20～	10,547	75	2			10,624	25	2,197	12,846
(%)	(99.3)	(0.7)	(0.0)			(100.0)			
30～	30,063	231	11			30,305	88	6,495	36,888
(%)	(99.2)	(0.8)	(0.0)			(100.0)			
40～	33,069	327	13	2		33,411	92	7,226	40,729
(%)	(99.0)	(1.0)	(0.0)	(0.0)		(100.0)			
50～	23,407	269	12			23,688	89	5,303	29,080
(%)	(98.8)	(1.1)	(0.1)			(100.0)			
60～	13,434	180	10	1		13,625	40	3,127	16,792
(%)	(98.6)	(1.3)	(0.1)	(0.0)		(100.0)			
70～	6,529	71	6			6,606	19	1,576	8,201
(%)	(98.8)	(1.1)	(0.1)			(100.0)			
80～	3,026	52	3			3,081	8	745	3,834
(%)	(98.2)	(1.7)	(0.1)			(100.0)			
90～	1,328	27				1,355	3	375	1,733
(%)	(98.0)	(2.0)				(100.0)			
100～	1,171	25	3			1,199	1	258	1,458
(%)	(97.7)	(2.1)	(0.3)			(100.0)			
合計	123,123	1,260	60	3		124,446	368	27,418	152,232
(%)	(98.9)	(1.0)	(0.0)	(0.0)		(100.0)			
記載なし	57,648	504	28	2		58,182	319	18,238	76,739
(%)	(99.1)	(0.9)	(0.0)	(0.0)		(100.0)			
総計	180,771	1,764	88	5		182,628	687	45,656	228,971
(%)	(99.0)	(1.0)	(0.0)	(0.0)		(100.0)			
平均	48.09	52.11	55.50	49.00		48.13	48.12	48.80	48.25
標準偏差	16.49	17.85	19.55	12.29		16.51	15.16	16.68	16.54

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査