

表 1836 腎移植の回数 透析前脈拍(拍/分)別 (施設血液透析患者 透析回数週3回)

透析前脈拍	なし	1回	2回	3回	4回以上	合計	不明	記載なし	総計
40未満	124	1				125	1	29	155
(%)	(99.2)	(0.8)				(100.0)			
40～	1,572	11				1,583	3	343	1,929
(%)	(99.3)	(0.7)				(100.0)			
50～	13,034	90	2			13,126	49	2,598	15,773
(%)	(99.3)	(0.7)	(0.0)			(100.0)			
60～	39,821	349	25			40,195	109	8,437	48,741
(%)	(99.1)	(0.9)	(0.1)			(100.0)			
70～	47,536	524	27	2		48,089	126	9,969	58,184
(%)	(98.9)	(1.1)	(0.1)	(0.0)		(100.0)			
80～	29,703	309	11	2		30,025	109	6,589	36,723
(%)	(98.9)	(1.0)	(0.0)	(0.0)		(100.0)			
90～	12,898	152	8	1		13,059	42	2,817	15,918
(%)	(98.8)	(1.2)	(0.1)	(0.0)		(100.0)			
100～	4,015	57	4			4,076	11	817	4,904
(%)	(98.5)	(1.4)	(0.1)			(100.0)			
110～	919	15				934	3	220	1,157
(%)	(98.4)	(1.6)				(100.0)			
120～	397	3				400		98	498
(%)	(99.3)	(0.8)				(100.0)			
合計	150,019	1,511	77	5		151,612	453	31,917	183,982
(%)	(98.9)	(1.0)	(0.1)	(0.0)		(100.0)			
記載なし	30,752	253	11			31,016	234	13,739	44,989
(%)	(99.1)	(0.8)	(0.0)			(100.0)			
総計	180,771	1,764	88	5		182,628	687	45,656	228,971
(%)	(99.0)	(1.0)	(0.0)	(0.0)		(100.0)			
平均	74.43	76.19	75.42	82.60		74.45	74.37	74.72	74.50
標準偏差	12.80	12.58	11.33	8.91		12.80	12.85	12.79	12.80

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査