

表 1851 腎移植の回数 single pool Kt/V(Kt/Vsp)別（血液透析濾過患者 透析回数週3回 透析歴2年以上）

single pool Kt/V (Kt/Vsp)	なし	1回	2回	3回	4回以上	合計	不明	記載なし	総計
0.4未満	14					14		5	19
(%)	(100.0)					(100.0)			
0.4～	16					16		3	19
(%)	(100.0)					(100.0)			
0.6～	72					72		12	84
(%)	(100.0)					(100.0)			
0.8～	486	4				490		128	618
(%)	(99.2)	(0.8)				(100.0)			
1.0～	2,303	29	2			2,334	4	578	2,916
(%)	(98.7)	(1.2)	(0.1)			(100.0)			
1.2～	5,918	101	5			6,024	11	1,471	7,506
(%)	(98.2)	(1.7)	(0.1)			(100.0)			
1.4～	7,171	140	9	1		7,321	25	1,626	8,972
(%)	(98.0)	(1.9)	(0.1)	(0.0)		(100.0)			
1.6～	5,229	139	5	1		5,374	31	1,268	6,673
(%)	(97.3)	(2.6)	(0.1)	(0.0)		(100.0)			
1.8～	2,760	92	4			2,856	27	657	3,540
(%)	(96.6)	(3.2)	(0.1)			(100.0)			
2.0～	1,954	86	5			2,045	15	508	2,568
(%)	(95.6)	(4.2)	(0.2)			(100.0)			
合計	25,923	591	30	2		26,546	113	6,256	32,915
(%)	(97.7)	(2.2)	(0.1)	(0.0)		(100.0)			
記載なし	1,180	26	4			1,210	12	834	2,056
(%)	(97.5)	(2.1)	(0.3)			(100.0)			
総計	27,103	617	34	2		27,756	125	7,090	34,971
(%)	(97.6)	(2.2)	(0.1)	(0.0)		(100.0)			
平均	1.54	1.66	1.64	1.56		1.54	1.71	1.54	1.54
標準偏差	0.31	0.33	0.35	0.12		0.31	0.31	0.31	0.31

数値下のカッコ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査