

表 1852 腎移植の回数 equilibrated Kt/V(eKt/V)別（血液透析濾過患者 透析回数週3回 透析歴2年以上）

equilibrated Kt/V (eKt/V)	なし	1回	2回	3回	4回以上	合計	不明	記載なし	総計
0.4未満	14					14		6	20
(%)	(100.0)					(100.0)			
0.4～	35					35		9	44
(%)	(100.0)					(100.0)			
0.6～	273					273		63	336
(%)	(100.0)					(100.0)			
0.8～	1,760	18	1			1,779	1	431	2,211
(%)	(98.9)	(1.0)	(0.1)			(100.0)			
1.0～	5,915	97	5			6,017	13	1,472	7,502
(%)	(98.3)	(1.6)	(0.1)			(100.0)			
1.2～	8,068	157	10	1		8,236	27	1,876	10,139
(%)	(98.0)	(1.9)	(0.1)	(0.0)		(100.0)			
1.4～	5,589	148	5	1		5,743	40	1,347	7,130
(%)	(97.3)	(2.6)	(0.1)	(0.0)		(100.0)			
1.6～	2,619	94	5			2,718	21	633	3,372
(%)	(96.4)	(3.5)	(0.2)			(100.0)			
1.8～	986	45	3			1,034	4	254	1,292
(%)	(95.4)	(4.4)	(0.3)			(100.0)			
2.0～	682	31	1			714	7	169	890
(%)	(95.5)	(4.3)	(0.1)			(100.0)			
合計	25,941	590	30	2		26,563	113	6,260	32,936
(%)	(97.7)	(2.2)	(0.1)	(0.0)		(100.0)			
記載なし	1,162	27	4			1,193	12	830	2,035
(%)	(97.4)	(2.3)	(0.3)			(100.0)			
総計	27,103	617	34	2		27,756	125	7,090	34,971
(%)	(97.6)	(2.2)	(0.1)	(0.0)		(100.0)			
平均	1.35	1.46	1.45	1.36		1.35	1.49	1.35	1.35
標準偏差	0.29	0.31	0.34	0.20		0.29	0.28	0.29	0.29

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査