

表 1859 腎移植の回数 PTH値(pg/mL)別（血液透析濾過患者 透析回数週3回）PTH測定法:intact-PTH

PTH値	なし	1回	2回	3回	4回以上	合計	不明	記載なし	総計
20未満	1,354	32	5			1,391	1	291	1,683
(%)	(97.3)	(2.3)	(0.4)			(100.0)			
20～	1,726	40	1			1,767	7	421	2,195
(%)	(97.7)	(2.3)	(0.1)			(100.0)			
40～	1,928	35				1,963	11	463	2,437
(%)	(98.2)	(1.8)				(100.0)			
60～	2,053	34	1			2,088	10	494	2,592
(%)	(98.3)	(1.6)	(0.0)			(100.0)			
80～	2,265	47	2			2,314	11	521	2,846
(%)	(97.9)	(2.0)	(0.1)			(100.0)			
100～	2,217	44	1	1		2,263	8	524	2,795
(%)	(98.0)	(1.9)	(0.0)	(0.0)		(100.0)			
120～	2,038	40	1			2,079	10	492	2,581
(%)	(98.0)	(1.9)	(0.0)			(100.0)			
140～	1,867	35	3			1,905	2	416	2,323
(%)	(98.0)	(1.8)	(0.2)			(100.0)			
160～	1,684	43	4			1,731	6	413	2,150
(%)	(97.3)	(2.5)	(0.2)			(100.0)			
180～	3,947	79	1			4,027	14	964	5,005
(%)	(98.0)	(2.0)	(0.0)			(100.0)			
240～	65	1				66		11	77
(%)	(98.5)	(1.5)				(100.0)			
241～	2,351	45	3			2,399	1	555	2,955
(%)	(98.0)	(1.9)	(0.1)			(100.0)			
300～	1,338	40	2	1		1,381	5	328	1,714
(%)	(96.9)	(2.9)	(0.1)	(0.1)		(100.0)			
360～	813	12	1			826	1	215	1,042
(%)	(98.4)	(1.5)	(0.1)			(100.0)			
420～	444	14	1			459	1	131	591
(%)	(96.7)	(3.1)	(0.2)			(100.0)			
480～	111	4	1			116	1	29	146
(%)	(95.7)	(3.4)	(0.9)			(100.0)			
500～	166	3	1			170	1	66	237
(%)	(97.6)	(1.8)	(0.6)			(100.0)			
540～	196	3				199	1	52	252
(%)	(98.5)	(1.5)				(100.0)			
600～	327	14				341	1	81	423
(%)	(95.9)	(4.1)				(100.0)			
800～	284	7	1			292	2	56	350
(%)	(97.3)	(2.4)	(0.3)			(100.0)			
合計	27,174	572	29	2		27,777	94	6,523	34,394
(%)	(97.8)	(2.1)	(0.1)	(0.0)		(100.0)			
記載なし	515	5	1			521	15	198	734
(%)	(98.8)	(1.0)	(0.2)			(100.0)			
総計	27,689	577	30	2		28,298	109	6,721	35,128
(%)	(97.8)	(2.0)	(0.1)	(0.0)		(100.0)			
平均	176.63	185.32	233.66	209.00		176.88	183.27	178.79	177.26
標準偏差	171.17	161.11	299.47	132.94		171.15	276.14	159.93	169.45

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査