

表 1871 腎移植の回数 原疾患別（腹膜透析患者）

原疾患	なし	1回	2回	3回	4回以上	合計	不明	記載なし	総計
慢性糸球体腎炎	1,973	13				1,986	5	1,068	3,059
(%)	(99.3)	(0.7)				(100.0)			
慢性腎盂腎炎	71					71		22	93
(%)	(100.0)					(100.0)			
急速進行性糸球体腎炎	48	1				49		25	74
(%)	(98.0)	(2.0)				(100.0)			
妊娠腎/妊娠中毒症	25					25		7	32
(%)	(100.0)					(100.0)			
その他の分類不能の腎炎	58					58		27	85
(%)	(100.0)					(100.0)			
多発性嚢胞腎	160	1				161	1	81	243
(%)	(99.4)	(0.6)				(100.0)			
腎硬化症	748	2				750	2	331	1,083
(%)	(99.7)	(0.3)				(100.0)			
悪性高血圧	72					72		35	107
(%)	(100.0)					(100.0)			
糖尿病性腎症	1,754	3				1,757	4	1,005	2,766
(%)	(99.8)	(0.2)				(100.0)			
SLE腎炎	46					46		16	62
(%)	(100.0)					(100.0)			
アミロイド腎	4					4		5	9
(%)	(100.0)					(100.0)			
痛風腎	26					26	1	6	33
(%)	(100.0)					(100.0)			
先天性代謝異常による腎不全	14					14		4	18
(%)	(100.0)					(100.0)			
腎・尿路結核	1					1			1
(%)	(100.0)					(100.0)			
腎・尿路結石	10					10		6	16
(%)	(100.0)					(100.0)			
腎・尿路腫瘍	9					9		5	14
(%)	(100.0)					(100.0)			
閉塞性尿路障害	15					15		7	22
(%)	(100.0)					(100.0)			
骨髄腫	4					4		4	8
(%)	(100.0)					(100.0)			
腎形成不全	55	1				56		20	76
(%)	(98.2)	(1.8)				(100.0)			
不明	519	2				521	5	314	840
(%)	(99.6)	(0.4)				(100.0)			
再導入	6	32	2	1		41		10	51
(%)	(14.6)	(78.0)	(4.9)	(2.4)		(100.0)			
その他	157	1				158	5	86	249
(%)	(99.4)	(0.6)				(100.0)			
合計	5,775	56	2	1		5,834	23	3,084	8,941
(%)	(99.0)	(1.0)	(0.0)	(0.0)		(100.0)			
記載なし									
(%)									
総計	5,775	56	2	1		5,834	23	3,084	8,941
(%)	(99.0)	(1.0)	(0.0)	(0.0)		(100.0)			

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査