

表 1874 腎移植の回数 体重(kg)別（腹膜透析患者）

| 体重   | なし      | 1回     | 2回    | 3回    | 4回以上 | 合計      | 不明    | 記載なし  | 総計    |
|------|---------|--------|-------|-------|------|---------|-------|-------|-------|
| 20未満 | 36      | 1      | 1     |       |      | 38      |       |       | 38    |
| (%)  | (94.7)  | (2.6)  | (2.6) |       |      | (100.0) |       |       |       |
| 20～  | 21      |        |       |       |      | 21      |       | 2     | 23    |
| (%)  | (100.0) |        |       |       |      | (100.0) |       |       |       |
| 30～  | 151     |        |       |       |      | 151     |       | 21    | 172   |
| (%)  | (100.0) |        |       |       |      | (100.0) |       |       |       |
| 40～  | 803     | 11     |       |       |      | 814     | 1     | 89    | 904   |
| (%)  | (98.6)  | (1.4)  |       |       |      | (100.0) |       |       |       |
| 50～  | 1,399   | 14     |       |       |      | 1,413   | 4     | 174   | 1,591 |
| (%)  | (99.0)  | (1.0)  |       |       |      | (100.0) |       |       |       |
| 60～  | 1,404   | 14     |       |       |      | 1,418   | 6     | 192   | 1,616 |
| (%)  | (99.0)  | (1.0)  |       |       |      | (100.0) |       |       |       |
| 70～  | 712     | 2      |       |       |      | 714     |       | 97    | 811   |
| (%)  | (99.7)  | (0.3)  |       |       |      | (100.0) |       |       |       |
| 80～  | 260     | 1      |       |       |      | 261     |       | 37    | 298   |
| (%)  | (99.6)  | (0.4)  |       |       |      | (100.0) |       |       |       |
| 90～  | 88      |        |       |       |      | 88      |       | 16    | 104   |
| (%)  | (100.0) |        |       |       |      | (100.0) |       |       |       |
| 100～ | 19      |        |       |       |      | 19      |       | 1     | 20    |
| (%)  | (100.0) |        |       |       |      | (100.0) |       |       |       |
| 110～ | 8       |        |       |       |      | 8       |       | 2     | 10    |
| (%)  | (100.0) |        |       |       |      | (100.0) |       |       |       |
| 120～ | 8       | 1      |       |       |      | 9       |       |       | 9     |
| (%)  | (88.9)  | (11.1) |       |       |      | (100.0) |       |       |       |
| 合計   | 4,909   | 44     | 1     |       |      | 4,954   | 11    | 631   | 5,596 |
| (%)  | (99.1)  | (0.9)  | (0.0) |       |      | (100.0) |       |       |       |
| 記載なし | 866     | 12     | 1     | 1     |      | 880     | 12    | 2,453 | 3,345 |
| (%)  | (98.4)  | (1.4)  | (0.1) | (0.1) |      | (100.0) |       |       |       |
| 総計   | 5,775   | 56     | 2     | 1     |      | 5,834   | 23    | 3,084 | 8,941 |
| (%)  | (99.0)  | (1.0)  | (0.0) | (0.0) |      | (100.0) |       |       |       |
| 平均   | 60.63   | 58.46  | 19.80 |       |      | 60.60   | 62.04 | 61.83 | 60.74 |
| 標準偏差 | 13.97   | 15.32  |       |       |      | 14.00   | 7.41  | 13.14 | 13.90 |

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査