

表 1897 透析時間(時間/回) 身長(cm)別 (施設血液透析患者 透析回数週3回)

身長	3.0未満	3.0～	3.5～	4.0～	4.5～	5.0～	5.5～	6.0～	6.5～	7.0～	合計	記載なし	総計	平均	標準偏差
130未満		51	22	145	9	8					235	2	237	3.80	0.49
(%)		(21.7)	(9.4)	(61.7)	(3.8)	(3.4)					(100.0)				
130～	8	122	65	348	11	12		2			568		568	3.75	0.51
(%)	(1.4)	(21.5)	(11.4)	(61.3)	(1.9)	(2.1)		(0.4)			(100.0)				
135～	8	462	256	1,414	72	78	6	4		2	2,302	3	2,305	3.81	0.51
(%)	(0.3)	(20.1)	(11.1)	(61.4)	(3.1)	(3.4)	(0.3)	(0.2)		(0.1)	(100.0)				
140～	33	1,414	882	5,247	267	369	13	16		10	8,251	32	8,283	3.85	0.51
(%)	(0.4)	(17.1)	(10.7)	(63.6)	(3.2)	(4.5)	(0.2)	(0.2)		(0.1)	(100.0)				
145～	60	2,607	1,789	12,551	702	918	39	55	3	17	18,741	78	18,819	3.90	0.50
(%)	(0.3)	(13.9)	(9.5)	(67.0)	(3.7)	(4.9)	(0.2)	(0.3)	(0.0)	(0.1)	(100.0)				
150～	84	3,655	2,664	20,420	1,272	1,575	58	108	6	46	29,888	126	30,014	3.93	0.50
(%)	(0.3)	(12.2)	(8.9)	(68.3)	(4.3)	(5.3)	(0.2)	(0.4)	(0.0)	(0.2)	(100.0)				
155～	84	3,770	2,930	24,086	1,501	2,054	79	140	12	62	34,718	139	34,857	3.95	0.50
(%)	(0.2)	(10.9)	(8.4)	(69.4)	(4.3)	(5.9)	(0.2)	(0.4)	(0.0)	(0.2)	(100.0)				
160～	71	4,101	3,268	29,289	2,178	2,800	119	187	2	82	42,097	161	42,258	3.98	0.50
(%)	(0.2)	(9.7)	(7.8)	(69.6)	(5.2)	(6.7)	(0.3)	(0.4)	(0.0)	(0.2)	(100.0)				
165～	70	3,103	2,563	26,026	2,223	3,011	122	195	12	106	37,431	145	37,576	4.03	0.52
(%)	(0.2)	(8.3)	(6.8)	(69.5)	(5.9)	(8.0)	(0.3)	(0.5)	(0.0)	(0.3)	(100.0)				
170～	31	1,699	1,395	16,176	1,763	2,299	92	160	14	91	23,720	107	23,827	4.08	0.54
(%)	(0.1)	(7.2)	(5.9)	(68.2)	(7.4)	(9.7)	(0.4)	(0.7)	(0.1)	(0.4)	(100.0)				
175～	11	485	471	5,573	761	1,070	32	68	3	43	8,517	32	8,549	4.14	0.57
(%)	(0.1)	(5.7)	(5.5)	(65.4)	(8.9)	(12.6)	(0.4)	(0.8)	(0.0)	(0.5)	(100.0)				
180～	3	115	119	1,406	214	332	12	26	3	18	2,248	6	2,254	4.19	0.63
(%)	(0.1)	(5.1)	(5.3)	(62.5)	(9.5)	(14.8)	(0.5)	(1.2)	(0.1)	(0.8)	(100.0)				
185～	1	14	11	214	41	58	5	5		2	351		351	4.24	0.60
(%)	(0.3)	(4.0)	(3.1)	(61.0)	(11.7)	(16.5)	(1.4)	(1.4)		(0.6)	(100.0)				
190～		8		34	5	8	1	1			57		57	4.11	0.64
(%)		(14.0)		(59.6)	(8.8)	(14.0)	(1.8)	(1.8)			(100.0)				
合計	464	21,606	16,435	142,929	11,019	14,592	578	967	55	479	209,124	831	209,955	3.98	0.52
(%)	(0.2)	(10.3)	(7.9)	(68.3)	(5.3)	(7.0)	(0.3)	(0.5)	(0.0)	(0.2)	(100.0)				
記載なし	57	3,214	1,504	12,069	659	995	17	27	3	32	18,577	439	19,016	3.88	0.53
(%)	(0.3)	(17.3)	(8.1)	(65.0)	(3.5)	(5.4)	(0.1)	(0.1)	(0.0)	(0.2)	(100.0)				
総計	521	24,820	17,939	154,998	11,678	15,587	595	994	58	511	227,701	1,270	228,971	3.97	0.52
(%)	(0.2)	(10.9)	(7.9)	(68.1)	(5.1)	(6.8)	(0.3)	(0.4)	(0.0)	(0.2)	(100.0)				
平均	156.73	157.25	158.24	160.02	162.50	162.74	162.57	163.07	164.18	164.50	159.94	159.98	159.94		
標準偏差	10.02	9.81	9.52	9.41	9.56	9.58	9.54	9.36	9.25	9.34	9.59	9.44	9.59		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査