

表 1901 透析時間(時間/回) Body Mass Index別(施設血液透析患者 透析回数週3回)

Body Mass Index	3.0未満	3.0～	3.5～	4.0～	4.5～	5.0～	5.5～	6.0～	6.5～	7.0～	合計	記載なし	総計	平均	標準偏差
14未満	15	343	154	747	11	31	1	4		1	1,307	4	1,311	3.71	0.53
(%)	(1.1)	(26.2)	(11.8)	(57.2)	(0.8)	(2.4)	(0.1)	(0.3)		(0.1)	(100.0)				
14～	37	1,460	783	4,792	193	283	11	30		4	7,593	13	7,606	3.82	0.51
(%)	(0.5)	(19.2)	(10.3)	(63.1)	(2.5)	(3.7)	(0.1)	(0.4)		(0.1)	(100.0)				
16～	89	3,475	2,404	16,178	935	1,175	54	89	1	31	24,431	49	24,480	3.89	0.51
(%)	(0.4)	(14.2)	(9.8)	(66.2)	(3.8)	(4.8)	(0.2)	(0.4)	(0.0)	(0.1)	(100.0)				
18～	93	4,894	3,794	29,774	1,825	2,369	93	148	11	71	43,072	84	43,156	3.94	0.50
(%)	(0.2)	(11.4)	(8.8)	(69.1)	(4.2)	(5.5)	(0.2)	(0.3)	(0.0)	(0.2)	(100.0)				
20～	103	4,777	3,800	33,083	2,382	3,022	128	185	13	103	47,596	84	47,680	3.97	0.51
(%)	(0.2)	(10.0)	(8.0)	(69.5)	(5.0)	(6.3)	(0.3)	(0.4)	(0.0)	(0.2)	(100.0)				
22～	52	3,145	2,714	25,659	2,036	2,711	102	200	8	104	36,731	79	36,810	4.01	0.52
(%)	(0.1)	(8.6)	(7.4)	(69.9)	(5.5)	(7.4)	(0.3)	(0.5)	(0.0)	(0.3)	(100.0)				
24～	32	1,659	1,353	15,252	1,470	1,881	54	115	7	58	21,881	32	21,913	4.04	0.51
(%)	(0.1)	(7.6)	(6.2)	(69.7)	(6.7)	(8.6)	(0.2)	(0.5)	(0.0)	(0.3)	(100.0)				
26～	17	767	659	7,973	898	1,188	42	64	5	48	11,661	27	11,688	4.09	0.54
(%)	(0.1)	(6.6)	(5.7)	(68.4)	(7.7)	(10.2)	(0.4)	(0.5)	(0.0)	(0.4)	(100.0)				
28～	10	327	310	3,982	528	713	32	50	2	25	5,979	12	5,991	4.13	0.56
(%)	(0.2)	(5.5)	(5.2)	(66.6)	(8.8)	(11.9)	(0.5)	(0.8)	(0.0)	(0.4)	(100.0)				
30～	10	250	206	3,215	509	848	36	55	6	23	5,158	6	5,164	4.20	0.59
(%)	(0.2)	(4.8)	(4.0)	(62.3)	(9.9)	(16.4)	(0.7)	(1.1)	(0.1)	(0.4)	(100.0)				
合計	458	21,097	16,177	140,655	10,787	14,221	553	940	53	468	205,409	390	205,799	3.98	0.52
(%)	(0.2)	(10.3)	(7.9)	(68.5)	(5.3)	(6.9)	(0.3)	(0.5)	(0.0)	(0.2)	(100.0)				
記載なし	63	3,723	1,762	14,343	891	1,366	42	54	5	43	22,292	880	23,172	3.90	0.55
(%)	(0.3)	(16.7)	(7.9)	(64.3)	(4.0)	(6.1)	(0.2)	(0.2)	(0.0)	(0.2)	(100.0)				
総計	521	24,820	17,939	154,998	11,678	15,587	595	994	58	511	227,701	1,270	228,971	3.97	0.52
(%)	(0.2)	(10.9)	(7.9)	(68.1)	(5.1)	(6.8)	(0.3)	(0.4)	(0.0)	(0.2)	(100.0)				
平均	20.22	20.40	20.77	21.48	22.53	22.68	22.56	22.46	23.38	22.93	21.46	21.38	21.46		
標準偏差	3.95	3.48	3.39	3.58	3.87	4.03	4.15	4.15	4.12	3.81	3.66	3.60	3.66		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査