

表 1903 透析時間(時間/回) 透析前クレアチニン濃度(mg/dL)別(施設血液透析患者 透析回数週3回 透析歴2年以上)

透析前クレアチニン濃度	3.0未満	3.0～	3.5～	4.0～	4.5～	5.0～	5.5～	6.0～	6.5～	7.0～	合計	記載なし	総計	平均	標準偏差
2未満	4	28	3	38	1	1					75	1	76	3.53	0.63
(%)	(5.3)	(37.3)	(4.0)	(50.7)	(1.3)	(1.3)					(100.0)				
2～	28	512	162	876	28	37	1	3			1,647	9	1,656	3.65	0.55
(%)	(1.7)	(31.1)	(9.8)	(53.2)	(1.7)	(2.2)	(0.1)	(0.2)			(100.0)				
4～	55	1,585	807	4,785	186	283	9	33		18	7,761	34	7,795	3.81	0.55
(%)	(0.7)	(20.4)	(10.4)	(61.7)	(2.4)	(3.6)	(0.1)	(0.4)		(0.2)	(100.0)				
6～	63	2,794	2,286	16,271	931	1,377	52	104	4	44	23,926	80	24,006	3.94	0.51
(%)	(0.3)	(11.7)	(9.6)	(68.0)	(3.9)	(5.8)	(0.2)	(0.4)	(0.0)	(0.2)	(100.0)				
8～	52	3,354	3,729	32,730	2,271	3,299	144	260	18	122	45,979	136	46,115	4.02	0.50
(%)	(0.1)	(7.3)	(8.1)	(71.2)	(4.9)	(7.2)	(0.3)	(0.6)	(0.0)	(0.3)	(100.0)				
10～	51	2,486	3,307	34,384	3,003	4,102	168	243	14	141	47,899	135	48,034	4.07	0.49
(%)	(0.1)	(5.2)	(6.9)	(71.8)	(6.3)	(8.6)	(0.4)	(0.5)	(0.0)	(0.3)	(100.0)				
12～	22	1,213	1,724	21,101	2,363	2,863	110	170	11	82	29,659	95	29,754	4.10	0.49
(%)	(0.1)	(4.1)	(5.8)	(71.1)	(8.0)	(9.7)	(0.4)	(0.6)	(0.0)	(0.3)	(100.0)				
14～	11	447	641	8,429	1,098	1,231	48	49	6	33	11,993	43	12,036	4.12	0.49
(%)	(0.1)	(3.7)	(5.3)	(70.3)	(9.2)	(10.3)	(0.4)	(0.4)	(0.1)	(0.3)	(100.0)				
16～	3	146	177	2,940	389	398	15	9	1	4	4,082	18	4,100	4.11	0.44
(%)	(0.1)	(3.6)	(4.3)	(72.0)	(9.5)	(9.8)	(0.4)	(0.2)	(0.0)	(0.1)	(100.0)				
合計	289	12,565	12,836	121,554	10,270	13,591	547	871	54	444	173,021	551	173,572	4.03	0.51
(%)	(0.2)	(7.3)	(7.4)	(70.3)	(5.9)	(7.9)	(0.3)	(0.5)	(0.0)	(0.3)	(100.0)				
記載なし	6	600	331	2,830	185	195	9	4		1	4,161	476	4,637	3.90	0.47
(%)	(0.1)	(14.4)	(8.0)	(68.0)	(4.4)	(4.7)	(0.2)	(0.1)		(0.0)	(100.0)				
総計	295	13,165	13,167	124,384	10,455	13,786	556	875	54	445	177,182	1,027	178,209	4.03	0.50
(%)	(0.2)	(7.4)	(7.4)	(70.2)	(5.9)	(7.8)	(0.3)	(0.5)	(0.0)	(0.3)	(100.0)				
平均	8.05	8.84	9.74	10.36	11.16	10.88	10.82	10.32	11.14	10.56	10.29	10.19	10.29		
標準偏差	3.34	3.00	2.72	2.73	2.68	2.64	2.45	2.45	2.19	2.40	2.79	3.01	2.79		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査