

表 1917 透析時間(時間/回) Non-HDL-C濃度(mg/dL)別 (施設血液透析患者 透析回数週3回)

Non-HDL-C濃度	3.0未満	3.0～	3.5～	4.0～	4.5～	5.0～	5.5～	6.0～	6.5～	7.0～	合計	記載なし	総計	平均	標準偏差
50未満	6	301	190	1,926	113	148	6	19		4	2,713	3	2,716	3.96	0.50
(%)	(0.2)	(11.1)	(7.0)	(71.0)	(4.2)	(5.5)	(0.2)	(0.7)		(0.1)	(100.0)				
50～	24	1,223	943	9,039	616	938	28	50	1	27	12,889	17	12,906	3.99	0.50
(%)	(0.2)	(9.5)	(7.3)	(70.1)	(4.8)	(7.3)	(0.2)	(0.4)	(0.0)	(0.2)	(100.0)				
70～	52	2,689	2,163	19,751	1,478	2,067	75	129	7	52	28,463	69	28,532	4.00	0.51
(%)	(0.2)	(9.4)	(7.6)	(69.4)	(5.2)	(7.3)	(0.3)	(0.5)	(0.0)	(0.2)	(100.0)				
90～	62	3,220	2,554	23,035	1,802	2,495	87	154	14	84	33,507	72	33,579	4.00	0.52
(%)	(0.2)	(9.6)	(7.6)	(68.7)	(5.4)	(7.4)	(0.3)	(0.5)	(0.0)	(0.3)	(100.0)				
110～	36	2,530	2,055	18,110	1,451	2,140	76	119	9	79	26,605	74	26,679	4.01	0.53
(%)	(0.1)	(9.5)	(7.7)	(68.1)	(5.5)	(8.0)	(0.3)	(0.4)	(0.0)	(0.3)	(100.0)				
130～	40	1,564	1,277	10,788	907	1,328	49	81	7	60	16,101	32	16,133	4.01	0.55
(%)	(0.2)	(9.7)	(7.9)	(67.0)	(5.6)	(8.2)	(0.3)	(0.5)	(0.0)	(0.4)	(100.0)				
150～	16	792	575	5,427	451	650	35	47	4	24	8,021	22	8,043	4.01	0.54
(%)	(0.2)	(9.9)	(7.2)	(67.7)	(5.6)	(8.1)	(0.4)	(0.6)	(0.0)	(0.3)	(100.0)				
170～	7	388	272	2,326	210	300	15	13	1	21	3,553	14	3,567	4.01	0.58
(%)	(0.2)	(10.9)	(7.7)	(65.5)	(5.9)	(8.4)	(0.4)	(0.4)	(0.0)	(0.6)	(100.0)				
190～	3	143	110	878	66	120	2	4	1	9	1,336	2	1,338	4.00	0.58
(%)	(0.2)	(10.7)	(8.2)	(65.7)	(4.9)	(9.0)	(0.1)	(0.3)	(0.1)	(0.7)	(100.0)				
210～	1	138	54	519	41	64	3	3		7	830	2	832	3.96	0.64
(%)	(0.1)	(16.6)	(6.5)	(62.5)	(4.9)	(7.7)	(0.4)	(0.4)		(0.8)	(100.0)				
合計	247	12,988	10,193	91,799	7,135	10,250	376	619	44	367	134,018	307	134,325	4.00	0.53
(%)	(0.2)	(9.7)	(7.6)	(68.5)	(5.3)	(7.6)	(0.3)	(0.5)	(0.0)	(0.3)	(100.0)				
記載なし	274	11,832	7,746	63,199	4,543	5,337	219	375	14	144	93,683	963	94,646	3.93	0.52
(%)	(0.3)	(12.6)	(8.3)	(67.5)	(4.8)	(5.7)	(0.2)	(0.4)	(0.0)	(0.2)	(100.0)				
総計	521	24,820	17,939	154,998	11,678	15,587	595	994	58	511	227,701	1,270	228,971	3.97	0.52
(%)	(0.2)	(10.9)	(7.9)	(68.1)	(5.1)	(6.8)	(0.3)	(0.4)	(0.0)	(0.2)	(100.0)				
平均	107.17	107.43	106.79	105.82	107.94	108.46	111.31	106.95	115.18	117.33	106.42	110.79	106.43		
標準偏差	35.09	35.09	32.87	33.07	32.98	33.47	33.97	33.05	28.91	36.90	33.32	31.89	33.32		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査