

表 1920 透析時間(時間/回) 透析前脈拍(拍/分)別(施設血液透析患者 透析回数週3回)

透析前脈拍	3.0未満	3.0～	3.5～	4.0～	4.5～	5.0～	5.5～	6.0～	6.5～	7.0～	合計	記載なし	総計	平均	標準偏差
40未満	2	24	19	94	7	7	2				155		155	3.85	0.56
(%)	(1.3)	(15.5)	(12.3)	(60.6)	(4.5)	(4.5)	(1.3)				(100.0)				
40～	6	257	167	1,302	82	99	3	7		4	1,927	2	1,929	3.92	0.51
(%)	(0.3)	(13.3)	(8.7)	(67.6)	(4.3)	(5.1)	(0.2)	(0.4)		(0.2)	(100.0)				
50～	41	1,978	1,440	10,497	740	926	38	54	5	34	15,753	20	15,773	3.94	0.52
(%)	(0.3)	(12.6)	(9.1)	(66.6)	(4.7)	(5.9)	(0.2)	(0.3)	(0.0)	(0.2)	(100.0)				
60～	104	5,438	4,023	33,072	2,370	3,225	125	204	12	103	48,676	65	48,741	3.97	0.52
(%)	(0.2)	(11.2)	(8.3)	(67.9)	(4.9)	(6.6)	(0.3)	(0.4)	(0.0)	(0.2)	(100.0)				
70～	148	6,077	4,557	39,391	3,105	4,181	157	310	17	144	58,087	97	58,184	3.99	0.53
(%)	(0.3)	(10.5)	(7.8)	(67.8)	(5.3)	(7.2)	(0.3)	(0.5)	(0.0)	(0.2)	(100.0)				
80～	101	3,658	2,791	24,873	2,025	2,831	99	165	12	108	36,663	60	36,723	4.00	0.54
(%)	(0.3)	(10.0)	(7.6)	(67.8)	(5.5)	(7.7)	(0.3)	(0.5)	(0.0)	(0.3)	(100.0)				
90～	36	1,524	1,153	10,837	898	1,279	47	69	4	49	15,896	22	15,918	4.01	0.54
(%)	(0.2)	(9.6)	(7.3)	(68.2)	(5.6)	(8.0)	(0.3)	(0.4)	(0.0)	(0.3)	(100.0)				
100～	10	490	332	3,305	316	400	10	15	4	12	4,894	10	4,904	4.01	0.52
(%)	(0.2)	(10.0)	(6.8)	(67.5)	(6.5)	(8.2)	(0.2)	(0.3)	(0.1)	(0.2)	(100.0)				
110～	4	119	74	770	62	116	2	5	1	2	1,155	2	1,157	4.01	0.54
(%)	(0.3)	(10.3)	(6.4)	(66.7)	(5.4)	(10.0)	(0.2)	(0.4)	(0.1)	(0.2)	(100.0)				
120～		51	23	362	32	24	1	1		2	496	2	498	3.98	0.51
(%)		(10.3)	(4.6)	(73.0)	(6.5)	(4.8)	(0.2)	(0.2)		(0.4)	(100.0)				
合計	452	19,616	14,579	124,503	9,637	13,088	484	830	55	458	183,702	280	183,982	3.98	0.53
(%)	(0.2)	(10.7)	(7.9)	(67.8)	(5.2)	(7.1)	(0.3)	(0.5)	(0.0)	(0.2)	(100.0)				
記載なし	69	5,204	3,360	30,495	2,041	2,499	111	164	3	53	43,999	990	44,989	3.94	0.50
(%)	(0.2)	(11.8)	(7.6)	(69.3)	(4.6)	(5.7)	(0.3)	(0.4)	(0.0)	(0.1)	(100.0)				
総計	521	24,820	17,939	154,998	11,678	15,587	595	994	58	511	227,701	1,270	228,971	3.97	0.52
(%)	(0.2)	(10.9)	(7.9)	(68.1)	(5.1)	(6.8)	(0.3)	(0.4)	(0.0)	(0.2)	(100.0)				
平均	74.54	73.61	73.59	74.55	75.38	75.64	74.71	74.54	76.47	76.00	74.50	75.67	74.50		
標準偏差	12.75	12.88	12.55	12.80	12.99	12.71	12.44	11.66	13.72	12.49	12.80	13.22	12.80		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査