

表 1941 透析時間(時間/回) 透析前リン濃度(mg/dL)別 (血液透析濾過患者 透析回数週3回)

透析前リン濃度	3.0未満	3.0～	3.5～	4.0～	4.5～	5.0～	5.5～	6.0～	6.5～	7.0～	合計	記載なし	総計	平均	標準偏差
3未満	4	113	86	735	76	99	7	9		1	1,130	3	1,133	4.02	0.55
(%)	(0.4)	(10.0)	(7.6)	(65.0)	(6.7)	(8.8)	(0.6)	(0.8)		(0.1)	(100.0)				
3.0～	4	113	132	1,029	124	143	9	12	2	5	1,573	1	1,574	4.06	0.55
(%)	(0.3)	(7.2)	(8.4)	(65.4)	(7.9)	(9.1)	(0.6)	(0.8)	(0.1)	(0.3)	(100.0)				
3.5～	5	215	195	1,830	243	311	15	25	1	5	2,845	4	2,849	4.09	0.54
(%)	(0.2)	(7.6)	(6.9)	(64.3)	(8.5)	(10.9)	(0.5)	(0.9)	(0.0)	(0.2)	(100.0)				
4.0～	14	235	293	2,971	442	522	26	42	3	7	4,555	10	4,565	4.12	0.52
(%)	(0.3)	(5.2)	(6.4)	(65.2)	(9.7)	(11.5)	(0.6)	(0.9)	(0.1)	(0.2)	(100.0)				
4.5～	10	287	331	3,811	576	595	43	43		9	5,705	7	5,712	4.12	0.50
(%)	(0.2)	(5.0)	(5.8)	(66.8)	(10.1)	(10.4)	(0.8)	(0.8)		(0.2)	(100.0)				
5.0～	13	311	353	4,097	640	641	35	35	2	2	6,129	5	6,134	4.11	0.49
(%)	(0.2)	(5.1)	(5.8)	(66.8)	(10.4)	(10.5)	(0.6)	(0.6)	(0.0)	(0.0)	(100.0)				
5.5～	7	263	315	3,557	556	518	36	38	3	1	5,294	5	5,299	4.11	0.48
(%)	(0.1)	(5.0)	(6.0)	(67.2)	(10.5)	(9.8)	(0.7)	(0.7)	(0.1)	(0.0)	(100.0)				
6.0～	2	55	63	644	73	98	4	8	1		948	2	950	4.09	0.50
(%)	(0.2)	(5.8)	(6.6)	(67.9)	(7.7)	(10.3)	(0.4)	(0.8)	(0.1)		(100.0)				
6.1～	7	167	176	2,213	319	311	10	29	2	4	3,238	6	3,244	4.11	0.49
(%)	(0.2)	(5.2)	(5.4)	(68.3)	(9.9)	(9.6)	(0.3)	(0.9)	(0.1)	(0.1)	(100.0)				
6.5～	8	152	161	1,887	292	268	14	16	1		2,799	7	2,806	4.10	0.48
(%)	(0.3)	(5.4)	(5.8)	(67.4)	(10.4)	(9.6)	(0.5)	(0.6)	(0.0)		(100.0)				
7.0～	6	100	134	1,164	175	179	6	6	1		1,771	4	1,775	4.08	0.48
(%)	(0.3)	(5.6)	(7.6)	(65.7)	(9.9)	(10.1)	(0.3)	(0.3)	(0.1)		(100.0)				
7.5～	2	64	68	740	97	124	2	7			1,104		1,104	4.10	0.49
(%)	(0.2)	(5.8)	(6.2)	(67.0)	(8.8)	(11.2)	(0.2)	(0.6)			(100.0)				
8.0～	1	39	42	447	61	54	3	4			651		651	4.07	0.46
(%)	(0.2)	(6.0)	(6.5)	(68.7)	(9.4)	(8.3)	(0.5)	(0.6)			(100.0)				
8.5～		29	19	274	47	41	5	6	1	1	423		423	4.14	0.57
(%)		(6.9)	(4.5)	(64.8)	(11.1)	(9.7)	(1.2)	(1.4)	(0.2)	(0.2)	(100.0)				
9.0～	2	41	47	451	57	76	3	3		1	681	1	682	4.09	0.50
(%)	(0.3)	(6.0)	(6.9)	(66.2)	(8.4)	(11.2)	(0.4)	(0.4)		(0.1)	(100.0)				
合計	85	2,184	2,415	25,850	3,778	3,980	218	283	17	36	38,846	55	38,901	4.10	0.50
(%)	(0.2)	(5.6)	(6.2)	(66.5)	(9.7)	(10.2)	(0.6)	(0.7)	(0.0)	(0.1)	(100.0)				
記載なし	7	98	64	584	70	52		1			876	169	1,045	3.96	0.47
(%)	(0.8)	(11.2)	(7.3)	(66.7)	(8.0)	(5.9)		(0.1)			(100.0)				
総計	92	2,282	2,479	26,434	3,848	4,032	218	284	17	36	39,722	224	39,946	4.10	0.50
(%)	(0.2)	(5.7)	(6.2)	(66.5)	(9.7)	(10.2)	(0.5)	(0.7)	(0.0)	(0.1)	(100.0)				
平均	5.26	5.25	5.30	5.37	5.41	5.34	5.24	5.22	5.44	4.69	5.36	5.25	5.36		
標準偏差	1.58	1.57	1.48	1.42	1.37	1.40	1.43	1.41	1.45	1.46	1.43	1.42	1.43		

数値下のカッコ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査