

表 1962 血流量(ml/分) Body Mass Index別 (施設血液透析患者 透析回数週3回)

Body Mass Index	100未満	100～	120～	140～	160～	180～	200～	220～	240～	260～	280～	300～	350～	400～	合計	記載なし	総計	平均	標準偏差
14未満		16	70	327	82	253	454	53	31		2	4	1	1	1,294	17	1,311	178.55	31.66
(%)		(1.2)	(5.4)	(25.3)	(6.3)	(19.6)	(35.1)	(4.1)	(2.4)		(0.2)	(0.3)	(0.1)	(0.1)	(100.0)				
14～	3	46	173	1,306	409	1,528	3,182	464	336	21	15	23	6	15	7,527	79	7,606	187.77	31.92
(%)	(0.0)	(0.6)	(2.3)	(17.4)	(5.4)	(20.3)	(42.3)	(6.2)	(4.5)	(0.3)	(0.2)	(0.3)	(0.1)	(0.2)	(100.0)				
16～	4	97	337	2,948	1,034	4,245	11,260	2,185	1,551	140	103	205	25	66	24,200	280	24,480	195.14	33.37
(%)	(0.0)	(0.4)	(1.4)	(12.2)	(4.3)	(17.5)	(46.5)	(9.0)	(6.4)	(0.6)	(0.4)	(0.8)	(0.1)	(0.3)	(100.0)				
18～	10	139	438	3,754	1,370	6,577	20,138	5,080	4,021	311	266	488	43	95	42,730	426	43,156	200.56	33.18
(%)	(0.0)	(0.3)	(1.0)	(8.8)	(3.2)	(15.4)	(47.1)	(11.9)	(9.4)	(0.7)	(0.6)	(1.1)	(0.1)	(0.2)	(100.0)				
20～	3	129	352	3,287	1,135	6,291	21,893	6,473	5,699	533	450	763	74	141	47,223	457	47,680	205.48	34.77
(%)	(0.0)	(0.3)	(0.7)	(7.0)	(2.4)	(13.3)	(46.4)	(13.7)	(12.1)	(1.1)	(1.0)	(1.6)	(0.2)	(0.3)	(100.0)				
22～	4	109	248	2,078	713	4,383	16,215	5,607	5,228	503	425	770	67	97	36,447	363	36,810	208.86	35.15
(%)	(0.0)	(0.3)	(0.7)	(5.7)	(2.0)	(12.0)	(44.5)	(15.4)	(14.3)	(1.4)	(1.2)	(2.1)	(0.2)	(0.3)	(100.0)				
24～	5	52	129	1,089	366	2,256	9,230	3,523	3,591	378	367	597	51	79	21,713	200	21,913	212.67	37.17
(%)	(0.0)	(0.2)	(0.6)	(5.0)	(1.7)	(10.4)	(42.5)	(16.2)	(16.5)	(1.7)	(1.7)	(2.7)	(0.2)	(0.4)	(100.0)				
26～	1	26	71	481	190	1,072	4,608	2,025	2,108	228	255	434	36	34	11,569	119	11,688	215.98	37.42
(%)	(0.0)	(0.2)	(0.6)	(4.2)	(1.6)	(9.3)	(39.8)	(17.5)	(18.2)	(2.0)	(2.2)	(3.8)	(0.3)	(0.3)	(100.0)				
28～		11	35	225	52	517	2,240	1,050	1,204	127	145	258	39	25	5,928	63	5,991	219.44	39.37
(%)		(0.2)	(0.6)	(3.8)	(0.9)	(8.7)	(37.8)	(17.7)	(20.3)	(2.1)	(2.4)	(4.4)	(0.7)	(0.4)	(100.0)				
30～	3	14	26	183	47	413	1,772	829	1,158	123	160	334	36	22	5,120	44	5,164	223.27	41.26
(%)	(0.1)	(0.3)	(0.5)	(3.6)	(0.9)	(8.1)	(34.6)	(16.2)	(22.6)	(2.4)	(3.1)	(6.5)	(0.7)	(0.4)	(100.0)				
合計	33	639	1,879	15,678	5,398	27,535	90,992	27,289	24,927	2,364	2,188	3,876	378	575	203,751	2,048	205,799	205.22	35.84
(%)	(0.0)	(0.3)	(0.9)	(7.7)	(2.6)	(13.5)	(44.7)	(13.4)	(12.2)	(1.2)	(1.1)	(1.9)	(0.2)	(0.3)	(100.0)				
記載なし	11	100	269	2,295	503	2,950	9,498	2,257	2,133	169	149	389	51	143	20,917	2,255	23,172	202.22	41.56
(%)	(0.1)	(0.5)	(1.3)	(11.0)	(2.4)	(14.1)	(45.4)	(10.8)	(10.2)	(0.8)	(0.7)	(1.9)	(0.2)	(0.7)	(100.0)				
総計	44	739	2,148	17,973	5,901	30,485	100,490	29,546	27,060	2,533	2,337	4,265	429	718	224,668	4,303	228,971	204.94	36.42
(%)	(0.0)	(0.3)	(1.0)	(8.0)	(2.6)	(13.6)	(44.7)	(13.2)	(12.0)	(1.1)	(1.0)	(1.9)	(0.2)	(0.3)	(100.0)				
平均	21.44	20.60	20.02	20.06	20.06	20.69	21.29	22.20	22.74	23.09	23.59	23.67	23.73	22.02	21.46	21.31	21.46		
標準偏差	4.72	3.81	3.77	3.50	3.35	3.46	3.49	3.56	3.73	3.71	3.92	4.07	4.45	3.87	3.66	3.70	3.66		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査