

表 1970 血流量(ml/分) 透析前CRP濃度(mg/dL)別（施設血液透析患者 透析回数週3回）

| 透析前CRP濃度 | 100未満 | 100～  | 120～  | 140～   | 160～  | 180～   | 200～    | 220～   | 240～   | 260～  | 280～  | 300～  | 350～  | 400～  | 合計      | 記載なし  | 総計      | 平均     | 標準偏差  |
|----------|-------|-------|-------|--------|-------|--------|---------|--------|--------|-------|-------|-------|-------|-------|---------|-------|---------|--------|-------|
| 0.2未満    | 9     | 202   | 692   | 6,932  | 2,404 | 13,351 | 47,426  | 14,971 | 13,460 | 1,265 | 1,173 | 2,031 | 222   | 344   | 104,482 | 1,047 | 105,529 | 207.16 | 35.64 |
| (%)      | (0.0) | (0.2) | (0.7) | (6.6)  | (2.3) | (12.8) | (45.4)  | (14.3) | (12.9) | (1.2) | (1.1) | (1.9) | (0.2) | (0.3) | (100.0) |       |         |        |       |
| 0.2～     | 5     | 103   | 290   | 2,748  | 829   | 4,614  | 15,669  | 4,778  | 4,269  | 417   | 389   | 742   | 58    | 123   | 35,034  | 344   | 35,378  | 205.85 | 36.57 |
| (%)      | (0.0) | (0.3) | (0.8) | (7.8)  | (2.4) | (13.2) | (44.7)  | (13.6) | (12.2) | (1.2) | (1.1) | (2.1) | (0.2) | (0.4) | (100.0) |       |         |        |       |
| 0.5～     | 3     | 77    | 209   | 1,627  | 473   | 2,531  | 7,944   | 2,198  | 2,054  | 189   | 189   | 359   | 39    | 55    | 17,947  | 200   | 18,147  | 203.59 | 37.11 |
| (%)      | (0.0) | (0.4) | (1.2) | (9.1)  | (2.6) | (14.1) | (44.3)  | (12.2) | (11.4) | (1.1) | (1.1) | (2.0) | (0.2) | (0.3) | (100.0) |       |         |        |       |
| 1.0～     | 4     | 62    | 168   | 1,234  | 384   | 1,679  | 5,085   | 1,329  | 1,237  | 114   | 88    | 198   | 19    | 32    | 11,633  | 139   | 11,772  | 200.82 | 36.84 |
| (%)      | (0.0) | (0.5) | (1.4) | (10.6) | (3.3) | (14.4) | (43.7)  | (11.4) | (10.6) | (1.0) | (0.8) | (1.7) | (0.2) | (0.3) | (100.0) |       |         |        |       |
| 2.0～     | 3     | 58    | 127   | 874    | 232   | 1,036  | 3,130   | 762    | 690    | 59    | 55    | 103   | 13    | 22    | 7,164   | 90    | 7,254   | 198.56 | 37.48 |
| (%)      | (0.0) | (0.8) | (1.8) | (12.2) | (3.2) | (14.5) | (43.7)  | (10.6) | (9.6)  | (0.8) | (0.8) | (1.4) | (0.2) | (0.3) | (100.0) |       |         |        |       |
| 4.0～     | 2     | 26    | 66    | 354    | 81    | 396    | 1,081   | 269    | 196    | 15    | 14    | 41    |       | 10    | 2,551   | 31    | 2,582   | 195.59 | 38.97 |
| (%)      | (0.1) | (1.0) | (2.6) | (13.9) | (3.2) | (15.5) | (42.4)  | (10.5) | (7.7)  | (0.6) | (0.5) | (1.6) |       | (0.4) | (100.0) |       |         |        |       |
| 6.0～     | 2     | 17    | 34    | 178    | 40    | 202    | 535     | 107    | 109    | 13    | 7     | 17    | 3     | 4     | 1,268   | 14    | 1,282   | 195.01 | 39.28 |
| (%)      | (0.2) | (1.3) | (2.7) | (14.0) | (3.2) | (15.9) | (42.2)  | (8.4)  | (8.6)  | (1.0) | (0.6) | (1.3) | (0.2) | (0.3) | (100.0) |       |         |        |       |
| 8.0～     | 1     | 10    | 23    | 92     | 26    | 98     | 290     | 64     | 59     | 7     | 2     | 13    |       | 1     | 686     | 8     | 694     | 194.50 | 37.90 |
| (%)      | (0.1) | (1.5) | (3.4) | (13.4) | (3.8) | (14.3) | (42.3)  | (9.3)  | (8.6)  | (1.0) | (0.3) | (1.9) |       | (0.1) | (100.0) |       |         |        |       |
| 10.0～    |       | 12    | 22    | 122    | 30    | 133    | 316     | 89     | 77     | 12    | 9     | 10    | 1     |       | 833     | 9     | 842     | 194.85 | 36.55 |
| (%)      |       | (1.4) | (2.6) | (14.6) | (3.6) | (16.0) | (37.9)  | (10.7) | (9.2)  | (1.4) | (1.1) | (1.2) | (0.1) |       | (100.0) |       |         |        |       |
| 15.0～    |       | 7     | 9     | 85     | 22    | 82     | 231     | 50     | 47     | 4     | 1     | 13    | 1     |       | 552     | 8     | 560     | 194.83 | 35.91 |
| (%)      |       | (1.3) | (1.6) | (15.4) | (4.0) | (14.9) | (41.8)  | (9.1)  | (8.5)  | (0.7) | (0.2) | (2.4) | (0.2) |       | (100.0) |       |         |        |       |
| 合計       | 29    | 574   | 1,640 | 14,246 | 4,521 | 24,122 | 81,707  | 24,617 | 22,198 | 2,095 | 1,927 | 3,527 | 356   | 591   | 182,150 | 1,890 | 184,040 | 205.43 | 36.32 |
| (%)      | (0.0) | (0.3) | (0.9) | (7.8)  | (2.5) | (13.2) | (44.9)  | (13.5) | (12.2) | (1.2) | (1.1) | (1.9) | (0.2) | (0.3) | (100.0) |       |         |        |       |
| 記載なし     | 15    | 165   | 508   | 3,727  | 1,380 | 6,363  | 18,783  | 4,929  | 4,862  | 438   | 410   | 738   | 73    | 127   | 42,518  | 2,413 | 44,931  | 202.83 | 36.75 |
| (%)      | (0.0) | (0.4) | (1.2) | (8.8)  | (3.2) | (15.0) | (44.2)  | (11.6) | (11.4) | (1.0) | (1.0) | (1.7) | (0.2) | (0.3) | (100.0) |       |         |        |       |
| 総計       | 44    | 739   | 2,148 | 17,973 | 5,901 | 30,485 | 100,490 | 29,546 | 27,060 | 2,533 | 2,337 | 4,265 | 429   | 718   | 224,668 | 4,303 | 228,971 | 204.94 | 36.42 |
| (%)      | (0.0) | (0.3) | (1.0) | (8.0)  | (2.6) | (13.6) | (44.7)  | (13.2) | (12.0) | (1.1) | (1.0) | (1.9) | (0.2) | (0.3) | (100.0) |       |         |        |       |
| 平均       | 1.72  | 1.69  | 1.27  | 0.97   | 0.82  | 0.70   | 0.62    | 0.53   | 0.53   | 0.56  | 0.46  | 0.60  | 0.64  | 0.48  | 0.64    | 0.70  | 0.64    |        |       |
| 標準偏差     | 2.44  | 3.35  | 2.53  | 2.42   | 2.18  | 1.89   | 1.87    | 1.76   | 1.84   | 2.02  | 1.37  | 2.32  | 3.82  | 1.02  | 1.94    | 1.87  | 1.94    |        |       |

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査