

表 1977 血流量(ml/分) HDL-C濃度(mg/dL)別（施設血液透析患者 透析回数週3回）

HDL-C濃度	100未満	100～	120～	140～	160～	180～	200～	220～	240～	260～	280～	300～	350～	400～	合計	記載なし	総計	平均	標準偏差
20未満	2	11	26	106	15	79	276	63	58	9	4	5	2	1	657	14	671	192.88	38.17
(%)	(0.3)	(1.7)	(4.0)	(16.1)	(2.3)	(12.0)	(42.0)	(9.6)	(8.8)	(1.4)	(0.6)	(0.8)	(0.3)	(0.2)	(100.0)				
20～	2	49	126	1,027	311	1,595	5,440	1,726	1,731	159	188	298	19	33	12,704	142	12,846	206.57	37.18
(%)	(0.0)	(0.4)	(1.0)	(8.1)	(2.4)	(12.6)	(42.8)	(13.6)	(13.6)	(1.3)	(1.5)	(2.3)	(0.1)	(0.3)	(100.0)				
30～	6	102	314	2,704	848	4,743	16,159	5,014	4,736	444	435	770	59	110	36,444	444	36,888	206.46	36.50
(%)	(0.0)	(0.3)	(0.9)	(7.4)	(2.3)	(13.0)	(44.3)	(13.8)	(13.0)	(1.2)	(1.2)	(2.1)	(0.2)	(0.3)	(100.0)				
40～	3	108	332	3,034	1,038	5,359	17,995	5,516	5,056	501	403	743	60	138	40,286	443	40,729	205.71	36.23
(%)	(0.0)	(0.3)	(0.8)	(7.5)	(2.6)	(13.3)	(44.7)	(13.7)	(12.6)	(1.2)	(1.0)	(1.8)	(0.1)	(0.3)	(100.0)				
50～	3	76	252	2,123	668	3,795	13,007	3,941	3,606	334	295	546	45	87	28,778	302	29,080	205.82	35.80
(%)	(0.0)	(0.3)	(0.9)	(7.4)	(2.3)	(13.2)	(45.2)	(13.7)	(12.5)	(1.2)	(1.0)	(1.9)	(0.2)	(0.3)	(100.0)				
60～	5	40	122	1,192	414	2,233	7,576	2,283	1,970	187	222	294	22	36	16,596	196	16,792	205.49	34.57
(%)	(0.0)	(0.2)	(0.7)	(7.2)	(2.5)	(13.5)	(45.6)	(13.8)	(11.9)	(1.1)	(1.3)	(1.8)	(0.1)	(0.2)	(100.0)				
70～	3	21	58	511	191	1,071	3,743	1,121	1,041	82	71	149	11	36	8,109	92	8,201	206.82	36.66
(%)	(0.0)	(0.3)	(0.7)	(6.3)	(2.4)	(13.2)	(46.2)	(13.8)	(12.8)	(1.0)	(0.9)	(1.8)	(0.1)	(0.4)	(100.0)				
80～	2	7	31	276	110	476	1,746	489	469	48	48	66	11	7	3,786	48	3,834	205.75	34.84
(%)	(0.1)	(0.2)	(0.8)	(7.3)	(2.9)	(12.6)	(46.1)	(12.9)	(12.4)	(1.3)	(1.3)	(1.7)	(0.3)	(0.2)	(100.0)				
90～		9	17	106	32	198	795	249	228	17	26	29	5	1	1,712	21	1,733	206.90	33.47
(%)		(0.5)	(1.0)	(6.2)	(1.9)	(11.6)	(46.4)	(14.5)	(13.3)	(1.0)	(1.5)	(1.7)	(0.3)	(0.1)	(100.0)				
100～		5	15	118	28	187	641	193	198	14	18	29	1	6	1,453	5	1,458	206.27	37.55
(%)		(0.3)	(1.0)	(8.1)	(1.9)	(12.9)	(44.1)	(13.3)	(13.6)	(1.0)	(1.2)	(2.0)	(0.1)	(0.4)	(100.0)				
合計	26	428	1,293	11,197	3,655	19,736	67,378	20,595	19,093	1,795	1,710	2,929	235	455	150,525	1,707	152,232	205.99	36.11
(%)	(0.0)	(0.3)	(0.9)	(7.4)	(2.4)	(13.1)	(44.8)	(13.7)	(12.7)	(1.2)	(1.1)	(1.9)	(0.2)	(0.3)	(100.0)				
記載なし	18	311	855	6,776	2,246	10,749	33,112	8,951	7,967	738	627	1,336	194	263	74,143	2,596	76,739	202.81	36.95
(%)	(0.0)	(0.4)	(1.2)	(9.1)	(3.0)	(14.5)	(44.7)	(12.1)	(10.7)	(1.0)	(0.8)	(1.8)	(0.3)	(0.4)	(100.0)				
総計	44	739	2,148	17,973	5,901	30,485	100,490	29,546	27,060	2,533	2,337	4,265	429	718	224,668	4,303	228,971	204.94	36.42
(%)	(0.0)	(0.3)	(1.0)	(8.0)	(2.6)	(13.6)	(44.7)	(13.2)	(12.0)	(1.1)	(1.0)	(1.9)	(0.2)	(0.3)	(100.0)				
平均	49.73	46.86	47.16	47.58	48.14	48.35	48.50	48.30	48.02	47.71	47.88	47.37	47.98	48.16	48.26	47.59	48.25		
標準偏差	21.32	18.72	17.45	16.80	15.96	16.36	16.55	16.41	16.69	16.25	17.32	16.40	17.13	16.06	16.55	15.96	16.54		

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査