

表 1978 血流量(ml/分) Non-HDL-C濃度(mg/dL)別（施設血液透析患者 透析回数週3回）

Non-HDL-C濃度	100未満	100～	120～	140～	160～	180～	200～	220～	240～	260～	280～	300～	350～	400～	合計	記載なし	総計	平均	標準偏差
50未満	1	12	23	275	40	320	1,205	357	336	24	29	43	3	5	2,673	43	2,716	203.90	35.31
(%)	(0.0)	(0.4)	(0.9)	(10.3)	(1.5)	(12.0)	(45.1)	(13.4)	(12.6)	(0.9)	(1.1)	(1.6)	(0.1)	(0.2)	(100.0)				
50～	2	36	103	959	265	1,560	5,729	1,796	1,678	169	143	234	12	28	12,714	192	12,906	206.27	34.94
(%)	(0.0)	(0.3)	(0.8)	(7.5)	(2.1)	(12.3)	(45.1)	(14.1)	(13.2)	(1.3)	(1.1)	(1.8)	(0.1)	(0.2)	(100.0)				
70～	5	97	225	2,007	647	3,577	12,856	3,902	3,613	346	305	468	40	85	28,173	359	28,532	206.03	35.51
(%)	(0.0)	(0.3)	(0.8)	(7.1)	(2.3)	(12.7)	(45.6)	(13.9)	(12.8)	(1.2)	(1.1)	(1.7)	(0.1)	(0.3)	(100.0)				
90～	9	78	292	2,440	796	4,335	14,949	4,570	4,167	420	379	614	44	94	33,187	392	33,579	205.85	35.51
(%)	(0.0)	(0.2)	(0.9)	(7.4)	(2.4)	(13.1)	(45.0)	(13.8)	(12.6)	(1.3)	(1.1)	(1.9)	(0.1)	(0.3)	(100.0)				
110～	2	65	204	1,949	623	3,494	11,840	3,679	3,295	316	307	496	47	75	26,392	287	26,679	206.03	35.70
(%)	(0.0)	(0.2)	(0.8)	(7.4)	(2.4)	(13.2)	(44.9)	(13.9)	(12.5)	(1.2)	(1.2)	(1.9)	(0.2)	(0.3)	(100.0)				
130～	3	43	143	1,165	403	2,120	7,129	2,272	1,940	176	192	294	23	56	15,959	174	16,133	205.84	36.43
(%)	(0.0)	(0.3)	(0.9)	(7.3)	(2.5)	(13.3)	(44.7)	(14.2)	(12.2)	(1.1)	(1.2)	(1.8)	(0.1)	(0.4)	(100.0)				
150～		17	77	608	201	1,013	3,545	1,081	993	95	92	178	17	31	7,948	95	8,043	206.40	37.47
(%)		(0.2)	(1.0)	(7.6)	(2.5)	(12.7)	(44.6)	(13.6)	(12.5)	(1.2)	(1.2)	(2.2)	(0.2)	(0.4)	(100.0)				
170～		16	43	278	78	469	1,564	472	408	42	43	73	10	17	3,513	54	3,567	205.74	39.33
(%)		(0.5)	(1.2)	(7.9)	(2.2)	(13.4)	(44.5)	(13.4)	(11.6)	(1.2)	(1.2)	(2.1)	(0.3)	(0.5)	(100.0)				
190～		6	22	125	36	169	607	150	146	11	18	24	2	5	1,321	17	1,338	202.66	37.14
(%)		(0.5)	(1.7)	(9.5)	(2.7)	(12.8)	(46.0)	(11.4)	(11.1)	(0.8)	(1.4)	(1.8)	(0.2)	(0.4)	(100.0)				
210～		8	15	106	22	86	339	93	94	5	9	14	3	9	803	29	832	203.28	47.71
(%)		(1.0)	(1.9)	(13.2)	(2.7)	(10.7)	(42.2)	(11.6)	(11.7)	(0.6)	(1.1)	(1.7)	(0.4)	(1.1)	(100.0)				
合計	22	378	1,147	9,912	3,111	17,143	59,763	18,372	16,670	1,604	1,517	2,438	201	405	132,683	1,642	134,325	205.91	35.93
(%)	(0.0)	(0.3)	(0.9)	(7.5)	(2.3)	(12.9)	(45.0)	(13.8)	(12.6)	(1.2)	(1.1)	(1.8)	(0.2)	(0.3)	(100.0)				
記載なし	22	361	1,001	8,061	2,790	13,342	40,727	11,174	10,390	929	820	1,827	228	313	91,985	2,661	94,646	203.54	37.06
(%)	(0.0)	(0.4)	(1.1)	(8.8)	(3.0)	(14.5)	(44.3)	(12.1)	(11.3)	(1.0)	(0.9)	(2.0)	(0.2)	(0.3)	(100.0)				
総計	44	739	2,148	17,973	5,901	30,485	100,490	29,546	27,060	2,533	2,337	4,265	429	718	224,668	4,303	228,971	204.94	36.42
(%)	(0.0)	(0.3)	(1.0)	(8.0)	(2.6)	(13.6)	(44.7)	(13.2)	(12.0)	(1.1)	(1.0)	(1.9)	(0.2)	(0.3)	(100.0)				
平均	95.27	106.58	109.90	107.08	108.31	106.91	106.22	106.13	105.59	105.33	107.73	108.03	113.89	113.78	106.44	106.35	106.43		
標準偏差	27.19	39.28	37.50	35.44	33.17	32.72	33.12	32.68	32.83	31.83	34.03	33.44	37.17	39.58	33.25	38.25	33.32		

数値下のかっこ内は行方向の合計に対する％です。

(C)Japanese Society for Dialysis Therapy

2014年調査