

表 1986 血流量(ml/分) 医療機関別 (血液透析濾過患者 透析回数週3回)

医療機関	100未満	100～	120～	140～	160～	180～	200～	220～	240～	260～	280～	300～	350～	400～	合計	記載なし	総計	平均	標準偏差
国公立大学			1	3	2	3	24	4	3	1		1			42		42	201.90	30.92
(%)			(2.4)	(7.1)	(4.8)	(7.1)	(57.1)	(9.5)	(7.1)	(2.4)		(2.4)			(100.0)				
私立大学			1	11	2	16	54	39	32	5	3	7			170	3	173	215.65	34.83
(%)			(0.6)	(6.5)	(1.2)	(9.4)	(31.8)	(22.9)	(18.8)	(2.9)	(1.8)	(4.1)			(100.0)				
国立				1		4	18	7	4			2			36		36	212.22	30.34
(%)				(2.8)		(11.1)	(50.0)	(19.4)	(11.1)			(5.6)			(100.0)				
県市町村立		2	3	86	13	137	694	271	387	35	48	39	13		1,728	45	1,773	217.08	34.43
(%)		(0.1)	(0.2)	(5.0)	(0.8)	(7.9)	(40.2)	(15.7)	(22.4)	(2.0)	(2.8)	(2.3)	(0.8)		(100.0)				
社会保険		2		1	2	16	93	57	101	7	24	15	1		319		319	230.77	33.97
(%)		(0.6)		(0.3)	(0.6)	(5.0)	(29.2)	(17.9)	(31.7)	(2.2)	(7.5)	(4.7)	(0.3)		(100.0)				
厚生連			4	29	15	66	352	165	265	45	14	52	4	1	1,012	1	1,013	223.43	36.19
(%)			(0.4)	(2.9)	(1.5)	(6.5)	(34.8)	(16.3)	(26.2)	(4.4)	(1.4)	(5.1)	(0.4)	(0.1)	(100.0)				
その他公的			3	12	13	51	252	137	150	31	16	24			689	5	694	220.55	32.12
(%)			(0.4)	(1.7)	(1.9)	(7.4)	(36.6)	(19.9)	(21.8)	(4.5)	(2.3)	(3.5)			(100.0)				
私立総合		2	9	84	24	105	429	173	130	11	15	99			1,081	12	1,093	213.11	39.85
(%)		(0.2)	(0.8)	(7.8)	(2.2)	(9.7)	(39.7)	(16.0)	(12.0)	(1.0)	(1.4)	(9.2)			(100.0)				
私立	1	11	34	419	190	848	3,564	1,582	2,230	200	223	484	30	20	9,836	179	10,015	219.29	37.83
(%)	(0.0)	(0.1)	(0.3)	(4.3)	(1.9)	(8.6)	(36.2)	(16.1)	(22.7)	(2.0)	(2.3)	(4.9)	(0.3)	(0.2)	(100.0)				
私立診療所		20	39	696	317	1,700	8,067	4,172	5,825	743	677	1,742	297	181	24,476	312	24,788	227.30	41.85
(%)		(0.1)	(0.2)	(2.8)	(1.3)	(6.9)	(33.0)	(17.0)	(23.8)	(3.0)	(2.8)	(7.1)	(1.2)	(0.7)	(100.0)				
総計	1	37	94	1,342	578	2,946	13,547	6,607	9,127	1,078	1,020	2,465	345	202	39,389	557	39,946	224.18	40.35
(%)	(0.0)	(0.1)	(0.2)	(3.4)	(1.5)	(7.5)	(34.4)	(16.8)	(23.2)	(2.7)	(2.6)	(6.3)	(0.9)	(0.5)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。
(C)Japanese Society for Dialysis Therapy
2014年調査