

表 1993 血流量(ml/分) 透析前クレアチニン濃度(mg/dL)別（血液透析濾過患者 透析回数週3回 透析歴2年以上）

透析前クレアチニン濃度	100未満	100～	120～	140～	160～	180～	200～	220～	240～	260～	280～	300～	350～	400～	合計	記載なし	総計	平均	標準偏差
2未満				1			2								3		3	183.33	28.87
(%)				(33.3)			(66.7)								(100.0)				
2～		1	5	15	5	34	63	11	9	1	1	1			146	1	147	192.19	31.74
(%)		(0.7)	(3.4)	(10.3)	(3.4)	(23.3)	(43.2)	(7.5)	(6.2)	(0.7)	(0.7)	(0.7)			(100.0)				
4～		3	6	100	42	134	400	104	90	8	8	13	3	2	913	5	918	200.59	35.08
(%)		(0.3)	(0.7)	(11.0)	(4.6)	(14.7)	(43.8)	(11.4)	(9.9)	(0.9)	(0.9)	(1.4)	(0.3)	(0.2)	(100.0)				
6～		5	16	237	119	467	1,505	469	598	51	54	136	18	30	3,705	45	3,750	211.91	40.66
(%)		(0.1)	(0.4)	(6.4)	(3.2)	(12.6)	(40.6)	(12.7)	(16.1)	(1.4)	(1.5)	(3.7)	(0.5)	(0.8)	(100.0)				
8～		9	16	298	168	788	3,374	1,364	1,740	198	169	435	63	54	8,676	71	8,747	219.89	39.77
(%)		(0.1)	(0.2)	(3.4)	(1.9)	(9.1)	(38.9)	(15.7)	(20.1)	(2.3)	(1.9)	(5.0)	(0.7)	(0.6)	(100.0)				
10～	1	4	11	182	108	587	3,552	1,856	2,449	293	251	637	98	54	10,083	64	10,147	226.80	38.79
(%)	(0.0)	(0.0)	(0.1)	(1.8)	(1.1)	(5.8)	(35.2)	(18.4)	(24.3)	(2.9)	(2.5)	(6.3)	(1.0)	(0.5)	(100.0)				
12～		4	5	51	37	269	1,775	1,331	1,919	240	266	591	84	26	6,598	40	6,638	235.26	38.31
(%)		(0.1)	(0.1)	(0.8)	(0.6)	(4.1)	(26.9)	(20.2)	(29.1)	(3.6)	(4.0)	(9.0)	(1.3)	(0.4)	(100.0)				
14～			1	17	9	71	592	577	905	139	131	314	36	10	2,802	18	2,820	241.08	37.38
(%)			(0.0)	(0.6)	(0.3)	(2.5)	(21.1)	(20.6)	(32.3)	(5.0)	(4.7)	(11.2)	(1.3)	(0.4)	(100.0)				
16～			1	7	3	17	210	192	379	50	54	111	15	6	1,045	3	1,048	243.27	38.71
(%)			(0.1)	(0.7)	(0.3)	(1.6)	(20.1)	(18.4)	(36.3)	(4.8)	(5.2)	(10.6)	(1.4)	(0.6)	(100.0)				
合計	1	26	61	908	491	2,367	11,473	5,904	8,089	980	934	2,238	317	182	33,971	247	34,218	225.88	40.16
(%)	(0.0)	(0.1)	(0.2)	(2.7)	(1.4)	(7.0)	(33.8)	(17.4)	(23.8)	(2.9)	(2.7)	(6.6)	(0.9)	(0.5)	(100.0)				
記載なし		1	2	16	9	56	201	61	181	2	6	13	1	1	550	203	753	218.64	34.93
(%)		(0.2)	(0.4)	(2.9)	(1.6)	(10.2)	(36.5)	(11.1)	(32.9)	(0.4)	(1.1)	(2.4)	(0.2)	(0.2)	(100.0)				
総計	1	27	63	924	500	2,423	11,674	5,965	8,270	982	940	2,251	318	183	34,521	450	34,971	225.77	40.09
(%)	(0.0)	(0.1)	(0.2)	(2.7)	(1.4)	(7.0)	(33.8)	(17.3)	(24.0)	(2.8)	(2.7)	(6.5)	(0.9)	(0.5)	(100.0)				
平均	11.20	8.90	8.52	8.64	8.96	9.42	10.22	11.10	11.37	11.68	11.81	11.69	11.58	10.35	10.72	10.21	10.72		
標準偏差		2.55	2.97	2.43	2.40	2.46	2.50	2.54	2.61	2.56	2.62	2.56	2.46	2.67	2.66	2.55	2.66		

数値下のかっこ内は行方向の合計に対する％です。

(C)Japanese Society for Dialysis Therapy

2014年調査